




THE GOLD STANDARD:
 GAME DROPPING ACCURACY.
 JAW DROPPING PERFORMANCE.

The standard in premium ammunition has a name – Premier Gold Box.™ A culmination of extensive research and development, state-of-the-art loading facilities, and, of course, the highest-quality components, Premier Gold Box ammunition is just what you expect from the market leader in centerfire rifle ammunition.

- PREMIER® CORE-LOKT® ULTRA BONDED®
- PREMIER A-FRAME™
- PREMIER ACCUTIP™
- PREMIER SCIROCCO™
- PREMIER COPPER-SOLID
- PREMIER MATCH
- PREMIER DISINTEGRATOR® VARMINT



PREMIER® CORE-LOKT® ULTRA BONDED®



THE NEW STANDARD OF ACCURACY IN BONDED HUNTING BULLETS. Premier® Core-Lokt® Ultra Bonded® is a bullet in a class of its own. It is the first and only bullet to successfully maximize the best features of two great types of hunting bullet construction. It delivers the extreme accuracy and retained energy you would expect from a tipped bullet, in combination with the outstanding penetration and weight retention that only a bonded, non-tipped bullet could deliver. This unique design provides the hunter a Premier bullet that yields devastating on-game performance from 50 to 500 yards. Premier Core-Lokt Ultra Bonded – the new standard in high-performance hunting bullets.


CORE-LOKT® ULTRA BONDED® EXPANDS RELIABLY AT ALL REASONABLE HUNTING DISTANCES.



30-06 SPRG, 150-GR. PREMIER® CORE-LOKT® ULTRA BONDED®, 5 SHOTS, .6", 100 YDS.



The finest big-game bullet in the world is now available to handloaders. (See page 68 for complete listings.)



Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
PREMIER® CORE-LOKT® ULTRA BONDED®			
223 Remington	PRC223R4	62	Core-Lokt® Ultra Bonded
243 Win	PRC243WC	100	Core-Lokt® Ultra Bonded
25-06 Remington	PRC2506RA	115	Core-Lokt® Ultra Bonded
260 Remington	PRC260RB	140	Core-Lokt® Ultra Bonded
270 Win	PRC270WB	140	Core-Lokt® Ultra Bonded
6.8mm Rem SPC	PRC68R4	115	Core-Lokt® Ultra Bonded
7mm Remington Mag	PRC7MMRA	140	Core-Lokt® Ultra Bonded
7mm Remington Mag	PRC7MMRC	160	Core-Lokt® Ultra Bonded
7mm Remington SA UM	PR7SM1	140	Core-Lokt® Ultra Bonded
7mm Remington SA UM	PR7SM4	160	Core-Lokt® Ultra Bonded
7mm Rem. Ultra Mag	PR7UM1	140	Core-Lokt® Ultra Bonded
7mm Rem. Ultra Mag	PR7UM2-P2	160	Core-Lokt® Ultra Bonded
30-06 Springfield	PRC3006A	150	Core-Lokt® Ultra Bonded
30-06 Springfield	PRC3006B	168	Core-Lokt® Ultra Bonded
30-06 Springfield	PRC3006C	180	Core-Lokt® Ultra Bonded
300 Win Mag	PRC300WA	150	Core-Lokt® Ultra Bonded
300 Win Mag	PRC300WC	180	Core-Lokt® Ultra Bonded
308 Win	PRC308WA	150	Core-Lokt® Ultra Bonded
308 Win	PRC308WC	180	Core-Lokt® Ultra Bonded
300 Remington SA UM	PR300SM1	150	Core-Lokt® Ultra Bonded
300 Remington SA UM	PR300SM4	180	Core-Lokt® Ultra Bonded
300 Remington Ultra Mag	PR300UM4	180	Core-Lokt® Ultra Bonded
300 Remington Ultra Mag	PR300UM3-P2	180	Core-Lokt® Ultra Bonded
338 Win Mag	PRC338WA	225	Core-Lokt® Ultra Bonded



PREMIER® A-FRAME™

THE MOST RELIABLE DUAL CORE BULLET MADE.

Premier® A-Frame™ bullets reliably expand at long-range decreased velocities, yet do not over-expand at short-range high velocities. A-Frame will mushroom to a devastating 2x caliber diameter with nearly 95% weight retention. Suitable for all big or dangerous game – the best choice from Alaska to Africa and everywhere in between.

Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
PREMIER® A-FRAME™			
270 Win	RS270WA	140	A-Frame™ PSP
7mm Remington Ultra Mag	PR7UM5	175	A-Frame™ PSP
30-06 SPRG	RS3006A	180	A-Frame™ PSP
300 Win Mag	RS300WA	200	A-Frame™ PSP
8mm Remington Mag	RS8MMRA	200	A-Frame™ PSP
300 Remington Ultra Mag	RS300UM2	200	A-Frame™ PSP
338 Win Mag	RS338WA	225	A-Frame™ PSP
338 Remington Ultra Mag	PR338UM1	250	A-Frame™ PSP
375 H&H Mag	RS375MA	300	A-Frame™ PSP
375 Remington Ultra Mag	PR375UM3	300	A-Frame™ PSP
416 Remington Mag	RS416RA	400	A-Frame™ PSP

A-FRAME™ CONSTRUCTION AND BONDING PROCESS PRODUCES CONTROLLED EXPANSION AND 2X CALIBER DIAMETER WITH NEARLY 95% WEIGHT RETENTION.




Lead core is bonded to pure copper jacket

Progressively tapered jacket controls mushrooming for totally dependable on-game results

A-Frame™ cross-member stops expansion at optimum diameter of 2x caliber

Protected rear drives forward for deep penetration on tough game



PREMIER® ACCUTIP

PRECISELY THE BIG-GAME BULLET OF YOUR DREAMS. It's the most accurate, polymer-tipped big-game bullet available today. Along with match-grade precision, it delivers an unprecedented combination of laser-flat trajectory and devastating terminal performance. AccuTip bullets expand quickly – producing an awesome level of transferred energy – to dispatch medium and big game with lightning authority. A thicker jacket and harder lead core regulate weight retention and optimize penetration. Make the switch and, trust us, big game won't know what hit 'em.

Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
PREMIER® ACCUTIP			
243 Win	PRA243WA	95	AccuTip
260 Remington	PRA260RA	120	AccuTip Boat Tail
270 Win	PRA270WA	130	AccuTip Boat Tail
280 Remington	PRA280RA	140	AccuTip Boat Tail
7mm-08 Remington	PRA7M08RB	140	AccuTip Boat Tail
7mm Remington Mag	PRA7MMRB	150	AccuTip Boat Tail
30 Remington AR	PRA30RAR1	125	AccuTip
300 WSM	PRA300WSMC	180	AccuTip Boat Tail
30-06 Springfield	PRA3006A	150	AccuTip Boat Tail
30-06 Springfield	PRA3006B	165	AccuTip Boat Tail
30-06 Springfield	PRA3006C	180	AccuTip Boat Tail
300 Win Mag	PRA300WC	180	AccuTip Boat Tail
300 Remington Ultra Mag	PRA300UM1-P1	150	AccuTip Boat Tail
308 Win	PRA308WB	165	AccuTip Boat Tail

30-06 SPRG.,
150-GR. PREMIER®
ACCUTIP 5 SHOTS,
.4", 100 YDS.



Gold polymer-tip initiates expansion for maximum on-game energy transfer

Sleek secant ogive profile for high ballistic coefficient and reduced drop and wind drift


Thicker mid-jacket and heavy base for progressive expansion and maximum weight retention



ACCUTIP

PREMIER® SCIROCCO™ BONDED

THE TOUGHEST POLYMER-TIPPED BULLET AVAILABLE. The remarkable Swift™ Scirocco™ Bonded bullet maintains its status as the industry leader in bonded tipped bullets by delivering the highest ballistic coefficient of any bullet of its kind for the flattest trajectory and maximum retained energy. Combine that with unsurpassed accuracy and superior weight retention, Premier® Scirocco is unquestionably the most effective bonded, tipped bullet to sit atop a factory load. When a tougher tipped bullet is needed, turn to Scirocco.



30-06, 180-GR.
PREMIER® SWIFT™
SCIROCCO™
BONDED 5 SHOTS,
.8", 100 YDS.

SWIFT™ SCIROCCO™ BONDED BULLETS EXPAND RELIABLY OVER A WIDE RANGE OF TERMINAL VELOCITIES.



Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
PREMIER® SCIROCCO™ BONDED			
243 Win	PRSC243WA	90	Scirocco™ Bonded
270 Win	PRSC270WA	130	Scirocco™ Bonded
7mm Remington Mag	PRSC7MMB	150	Scirocco™ Bonded
7mm Remington Ultra Mag	PRSC7UM1	150	Scirocco™ Bonded
30-06 Springfield	PRSC3006C	150	Scirocco™ Bonded
30-06 Springfield	PRSC3006B	180	Scirocco™ Bonded
300 Win Mag	PRSC300WB	180	Scirocco™ Bonded
300 WSM	PRSC300WSMB	180	Scirocco™ Bonded
308 Win	PRSC308WB	165	Scirocco™ Bonded
300 Remington Ultra Mag	PR300UM5	150	Scirocco™ Bonded
300 Remington Ultra Mag	PR300UM3	180	Scirocco™ Bonded
300 Remington Ultra Mag	PR300UM3-P2	180	Scirocco™ Bonded

PREMIER® ACCUTIP-V

PINPOINT DETONATION. Expect dynamite results. In varmint calibers, AccuTip-V combines superb flight characteristics and match-grade accuracy with a design optimized for explosive on-game results. At impact, AccuTip's gold polymer tip is driven rearward causing the thin jacket and soft lead core to fragment violently. First and foremost, though, it gets there precisely shot after shot – it's the most accurate varmint bullet you can shoot.



AccuTip component bullets are now available to handloaders. (See page 68 for complete listings.)



Gold polymer tip acts as a wedge, splintering bullet into fragments at impact

Thin jacket and soft lead core disintegrate and cause massive terminal damage at all ranges



ACCUTIP-V



Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
PREMIER® ACCUTIP-V			
17 Remington Fireball	PRA17FB	20	AccuTip-V
17 Remington	PRA17RA	20	AccuTip-V
204 Ruger	PRA204A	32	AccuTip-V
204 Ruger	PRA204B	40	AccuTip-V Boat Tail
221 Remington Fireball	PRA221FB	50	AccuTip-V Boat Tail
22 Hornet	PRA22HNA	35	AccuTip-V
222 Remington	PRA222RB	50	AccuTip-V Boat Tail
223 Remington	PRA223RB	50	AccuTip-V Boat Tail
223 Remington	PRA223RC	55	AccuTip-V
22-250 Remington	PRA225ORB	50	AccuTip-V Boat Tail
243 Win	PRA243WB	75	AccuTip-V Boat Tail

AccuTip-V. Varmint-Specific Cartridges

PREMIER® DISINTEGRATOR® VARMINT

FRANGIBLE AND LEAD-FREE. EXPLOSIVELY VOLATILE ON GAME.

Now you see him. Now you don't. Disintegrator® Varmint. Loaded with lead-free frangible bullets that meet the requirements of non-toxic hunting areas, this ammunition delivers radical, explosive expansion that shatters the capabilities of conventional lead core/copper jacketed bullets. Because they break into tiny fragments at impact, Disintegrator Varmint bullets will not ricochet, offering added peace of mind wherever you shoot. Extremely tight manufacturing tolerances combined with our industry-leading components produce tiny groups on paper as well. Get the supreme accuracy you expect from Remington with spectacular on-game results in two popular calibers: 223 Remington and 22-250 Remington, both with 45 gr. JHP bullets.



Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
DISINTEGRATOR® VARMINT			
223 Remington	DV223RA	45	Jacketed Iron Core HP
22-250 Remington	DV2225ORA	45	Jacketed Iron Core HP

30 REMINGTON® AR

HITS LIKE A 308. CARRIES LIKE A 223.



**FIRST IN THE FIELD:
THE WORLD'S ONLY 30-CAL. BIG-GAME CARTRIDGE
FOR THE LIGHTWEIGHT R-15 PLATFORM.
ONLY FROM REMINGTON.**

Remington® now brings you 30 caliber hunting performance in a lightweight R-15 modular repeating rifle. Our **30 Remington® AR** cartridge produces big-game-dropping ballistics similar to the venerable 308 Win. with pressures perfectly suited to our lightweight R-15 platform. Comparable terminal power was once only available in the heavier AR-10 platform. This cartridge is the ultimate synergy of our ammunition and firearms expertise, as its development forever changes the shape of both categories, creating a revolutionary new big-game hunting system. Our lightweight R-15 platform – its minimal recoil, rapid follow-ups, easy maintenance and inherent accuracy – is now chambered for a cartridge that will put down deer-sized game with gusto. This year's offerings include the most trusted big-game bullet of all time, Core-Lokt, the pinnacle of polymer-tipped accuracy, AccuTip and an economical UMC loading. As a cartridge, the 30 Remington AR breaks new ground. In conjunction with our R-15 modular repeating rifle, it marks the beginning of a new era in the deer woods of North America.



MODEL R-15
(Scope and mount
not included)

Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
30 REMINGTON® AR			
30 Remington AR	PRA30RAR1	125	AccuTip
30 Remington AR	R30RAR1	125	Core-Lokt, PSP
30 Remington AR	L30RAR2	150	Core-Lokt, PSP
30 Remington AR	L30RAR1	123	MC UMC

NEW

See rifle specifications on page 106.

PREMIER® COPPER-SOLID®

PURE ACCURACY AND DEVASTATING TERMINAL RESULTS - UNLEADED. Experience the game-leveling advantage of the finest lead-free bullet design on the market today. While it's classified as non-toxic, no big-game animal it comes in contact with will contest against its lightning-like terminal effects. It delivers extremely deep penetration with nearly 100% weight retention and has a sleek ogive profile with a polymer tip and boat tail base that give it outstanding flight characteristics. In fact, it's one of the finest extended-range lead-free hunting bullets we've ever offered due to its extremely high ballistic coefficient. At impact, the polymer tip acts as a wedge, plowing through a built-in expansion chamber and initiating a mushroom that's consistently 1.8x bullet diameter – creating a large terminal wound channel from close range to the farthest reaches of your shooting ability. For the pinnacle of shot-to-shot consistency, these rounds are loaded using our industry-leading manufacturing processes and Remington Premier Gold Box™ components.



Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
PREMIER® COPPER-SOLID®			
243 Win	PCS243WB	80	Copper Solid Tipped
270 Win	PCS270WA	130	Copper Solid Tipped
7mm Remington Mag	PCS7MMA	140	Copper Solid Tipped
NEW 30-30 Win	PCS3030WA	150	Copper Solid Tipped
30-06 Springfield	PCS3006A	150	Copper Solid Tipped
NEW 30-06 Springfield	PCS3006B	165	Copper Solid Tipped
300 Win Mag	PCS300WA	150	Copper Solid Tipped
NEW 300 Win Mag	PCS300WB	165	Copper Solid Tipped
308 Win	PCS308WA	150	Copper Solid Tipped
NEW 300 Remington Ultra Mag	PCS300UMB	165	Copper Solid Tipped

PREMIER® MATCH

IF THERE WERE A STRONGER WORD THAN ACCURATE, WE'D USE IT HERE.

Ever hear the phrase, "you could drive tacks with 'em?" Well, they're probably talking about Remington® Premier® Match ammunition. Using only match-grade bullets, Premier Match ammunition employs special loading practices to ensure world-class performance and accuracy with every shot. Maybe some day there will be a stronger word than accurate to describe Premier Match. Until then we'll continue to prove it on paper.



**308 WIN, 168-GR. PREMIER® MATCH
5 SHOTS, .6", 100 YDS.**



Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
PREMIER® MATCH			
223 Remington	R223R6	62	Hollow Point Match
223 Remington	RM223R1	69	MatchKing® BTHP
223 Remington	RM223R3	77	MatchKing® BTHP
6.8mm Remington SPC	RM68R1	115	MatchKing® BTHP
308 Win	RM308W7	168	MatchKing® BTHP
308 Win	RM308W8	175	MatchKing® BTHP

REMINGTON® ULTRA MAG.™

**BIG GAME'S
HIGHER POWER.**

REMINGTON® ULTRA MAG.™

A revolution in high-performance big-game ammunition. In each of its calibers, the Remington Ultra Mag™ cartridges produce the highest velocities, the flattest trajectories and the highest energy levels available to big-game hunters today. This is due to their large case capacities and innovative, non-belted magnum case designs. These cases hold dramatically more powder and align with unmatched precision within the bore, making the world's most lethal family of cartridges the most accurate, as well. Available in the most trusted bolt-action rifle of all time – the Model 700™ – the Ultra Mag™ family is a truly superior gun and ammunition system geared for today's most discriminating hunters.

INNOVATIVE CASE DESIGN RESULTS IN A "NON-BELTED MAGNUM" WITH A LARGER CASE DIAMETER, WHICH ALLOWS FOR DRAMATICALLY INCREASED POWDER CAPACITY.

23% MORE
CASE CAPACITY



300 Rem
Ultra Mag™

300 Win
Mag

20% MORE
CASE CAPACITY



375 Rem
Ultra Mag™

375 H&H

SHORT-ACTION ULTRA MAG.™

Magnum performance in a lightweight, short-action firearm and ammunition package. Premier® Short-Action Ultra Mag™ cartridges offer ballistic performance equivalent to the two most popular belted magnums – 300 Win Mag and 7mm Remington Mag – in a fast handling short-action rifle. They feature a highly efficient case design that duplicates or exceeds belted magnum ballistics with less powder, in turn, generating less felt recoil. Plus, they're inherently more accurate. The cartridge headspaces off the shoulder of the case, rather than a belt, promoting more precise bore alignment. It's big-time performance in a little package.




7mm Remington® Ultra Mag.™ With a muzzle velocity over 3,450 fps, it's one of the flattest-shooting big-game rounds on the planet – flatter than 7mm STW, flatter than a 22-250 varmint load. It's the perfect choice for long-range shots on any North American big game.

375 Remington® Ultra Mag.™ The ultimate in stopping power. With over 5,000 ft-lbs of energy at the muzzle, it delivers more energy at 200 yards than 375 H&H at 100 yards – and with the same flat-shooting trajectory as a 150-grain 270 Win load.

300 Remington® Ultra Mag.™ The extreme standard for big game. With a 180-grain bullet, it delivers a muzzle velocity of 3,250 fps with 2,160 ft-lbs of retained energy at 500 yards. That's right, a trained marksman could knock an elk off its feet at nearly a quarter of a mile.

338 Remington® Ultra Mag.™ An excellent cartridge for bear, elk and moose. Loaded with a 250-grain bullet, it delivers over 600 ft-lbs greater muzzle energy than 338 Win Mag and retains a flatter trajectory all the way out to 500 yards.




Caliber	Index/EDI No.	Bullet Wt. (gr)	Bullet Type
REMINGTON® ULTRA MAG™			
7mm Remington Ultra Mag	PR7UM1	140	Core-Lokt® Ultra Bonded
7mm Remington Ultra Mag	PR7UM5	175	A-Frame™ PSP
300 Remington Ultra Mag	PR300UM5	150	Scirocco™ Bonded
300 Remington Ultra Mag	PR300UM3	180	Scirocco™ Bonded
300 Remington Ultra Mag	PR300UM4	180	Core-Lokt® Ultra Bonded
300 Remington Ultra Mag	RS300UM2	200	A-Frame™ PSP
338 Remington Ultra Mag	PR338UM1	250	A-Frame™ PSP
338 Remington Ultra Mag	PR338UM2	250	Core-Lokt® PSP
375 Remington Ultra Mag	PR375UM2	270	Soft Point Hornady®
375 Remington Ultra Mag	PR375UM3	300	A-Frame™ PSP
REMINGTON® SHORT-ACTION ULTRA MAG™			
7mm Remington SA UM	PR7SM1	140	Core-Lokt® Ultra Bonded
7mm Remington SA UM	PR7SM2	150	Core-Lokt® PSP
7mm Remington SA UM	PR7SM4	160	Core-Lokt® Ultra Bonded
300 Remington SA UM	PR300SM1	150	Core-Lokt® Ultra Bonded
300 Remington SA UM	PR300SM2	165	Core-Lokt® PSP
300 Remington SA UM	PR300SM4	180	Core-Lokt® Ultra Bonded

POWER LEVEL® AMMUNITION

One gun. One chambering. The ballistic characteristics of three cartridges.

Power Level® Ammunition allows you to incrementally tailor the performance of your rifle and ammunition to match your intended game species and hunting range, similar to the way shotgunners use 2 3/4", 3" and 3 1/2" loads. The point of impact between Power Level loads stays within 2" out to 200 yards, so you'll have little to no scope adjustment when changing Power Levels. Now when you choose the 7mm or 300 Remington Ultra Mag™ you're getting three guns in one. Simply put, never before has one cartridge offered this kind of versatility.

POINT OF IMPACT ACROSS ALL POWER LEVELS WITHIN 2", OUT TO 200 YARDS.



THE CONCEPT - SHOTGUN/SHOTSHELL



One Firearm Platform
3 Performance Levels



THE IDEA - APPLIED TO THE CENTERFIRE RIFLE



One Gun
One Cartridge
3 Performance Levels

Index EDI No.	Caliber	Power Level	Performance Equivalent	Bullet Wt. (gr)	Bullet Type
PR7UM1	7mm Ultra Mag	III	7mm Ultra Mag	140	Core-Lokt® Ultra Bonded®
PRSC7UM1	7mm Ultra Mag	III	7mm Ultra Mag	150	Scirocco™ Bonded
PR7UM5	7mm Ultra Mag	III	7mm Ultra Mag	175	A-Frame™
PR300UM5	300 Ultra Mag	III	300 Ultra Mag	150	Scirocco™ Bonded
PR300UM3	300 Ultra Mag	III	300 Ultra Mag	180	Scirocco™ Bonded
PR300UM4	300 Ultra Mag	III	300 Ultra Mag	180	Core-Lokt® Ultra Bonded®
RS300UM2	300 Ultra Mag	III	300 Ultra Mag	200	A-Frame™
PR7UM2-P2	7mm Ultra Mag	II	7mm Remington Mag	160	Core-Lokt® Ultra Bonded®
PR300UM2-P2	300 Ultra Mag	II	300 Win/300 WSM	180	Core-Lokt® Ultra Bonded®
PR300UM3-P2	300 Ultra Mag	II	300 Win/300 WSM	180	Scirocco™ Bonded
R7UM1-P1	7mm Ultra Mag	I	270 Win	140	Core-Lokt®
PRA300UM1-P1	300 Ultra Mag	I	30-06 Springfield	150	AccuTip™
R300UM1-P1	300 Ultra Mag	I	30-06 Springfield	150	Core-Lokt®

POWER LEVEL® III MAXIMUM ENERGY — EXTREME RANGE

- 300 Remington Ultra Mag™ performance
- The biggest, toughest game at extreme ranges



Simply the biggest, baddest, flattest-shooting 30 caliber in production today. At 200 yards, it delivers 485 ft.-lbs. more energy than the 300 Wby Mag and 28% more energy than the 300 Win Mag or 300 WSM.

POWER LEVEL® II MAGNUM ENERGY — EXTENDED RANGE

- 300 Win Mag, 300 WSM performance
- Medium and large big game at extended ranges



With velocity and down range ballistics that mirror the 300 Win Mag and 300 WSM, Level II is ideal for elk, muleys or whitetails at extended range.

POWER LEVEL® I TERMINAL ENERGY — LONG RANGE

- 30-06 Springfield performance
- Whitetail-sized game out to long range



Performs identically to the 30-06, the caliber that's dropped more big game than any other. The optimum deer hunting Power Level — coast to coast.

REMINGTON® CORE-LOKT®



**THE WORLD'S
BEST-SELLING
CENTERFIRE HUNTING
AMMUNITION.**

Remington® Core-Lokt® – a reputation deserved. Hunters with a knack for filling their deer tag tend to have more than success in common. They trust their hunt to Remington® Core-Lokt®. For more than six decades, it has remained the leader in centerfire deer ammunition. And deservedly so.



**The Deadliest Mushroom
in the Woods™**

The Core-Lokt bullet design is the original controlled-expansion bullet – and one of the most effective ever developed. Its progressively tapered copper jacket is locked to a solid lead core, promoting perfectly controlled expansion and high weight retention for absolutely dependable on-game results. You'll find its time-proven performance in both soft point and pointed soft point versions – and in a range of bullet weights for virtually every centerfire hunting caliber made.

CORE-LOKT® SOFT POINT



Soft point shape provides broad frontal area for high energy impact and rapid expansion

Bullet cores are "Lokt" in place to provide deep penetration

Jackets designed for progressive, reliable expansion to almost twice the original diameter

CORE-LOKT® POINTED SOFT POINT



Spitzer shape provides profile for improved velocity and flatter trajectory

Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
CORE-LOKT® POINTED SOFT POINT			
6mm Remington	R6MM4	100	Pointed Soft Point
243 Win	R243W3	100	Pointed Soft Point
25-06 Remington	R25062	100	Pointed Soft Point
25-06 Remington	R25063	120	Pointed Soft Point
6.5x55 Swedish	R65SWE1	140	Pointed Soft Point
6.5mm Remington Mag	R65MM2	120	Pointed Soft Point
260 Remington	R260R1	140	Pointed Soft Point
264 Win Mag	R264W2	140	Pointed Soft Point
270 Win	R270W2	130	Pointed Soft Point
270 WSM	R270WSM1	130	Pointed Soft Point
280 Remington	R280R3	140	Pointed Soft Point
280 Remington	R280R1	150	Pointed Soft Point
7mm-08 Remington	R7M081	140	Pointed Soft Point
7mm Remington Mag	R7MM4	140	Pointed Soft Point
7mm Remington Mag	R7MM2	150	Pointed Soft Point
7mm Remington Mag	R7MM3	175	Pointed Soft Point
7mm Mauser (7x57)	R7MSR1	140	Pointed Soft Point
7mm Remington SA Ultra Mag	PR7SM2	150	Pointed Soft Point
30-40 Krag	R30402	180	Pointed Soft Point
30-06 Springfield	R30062	150	Pointed Soft Point
30-06 Springfield	R3006B	165	Pointed Soft Point
30-06 Springfield	R30065	180	Pointed Soft Point
300 Savage	R30SV2	150	Pointed Soft Point
30 Remington AR	R30RAR1	125	Pointed Soft Point
300 Win Mag	R300W1	150	Pointed Soft Point
300 Win Mag	R300W2	180	Pointed Soft Point
300 WSM	R300WSM1	150	Pointed Soft Point
308 Win	R308W1	150	Pointed Soft Point
308 Win	R308W3	180	Pointed Soft Point
300 Wby Mag	R300WB1	180	Pointed Soft Point
300 Remington SA Ultra Mag	PR300SM2	165	Pointed Soft Point
300 Remington Ultra Mag	R300UM1-P1	150	Pointed Soft Point
338 Win Mag	R338W1	225	Pointed Soft Point
338 Win Mag	R338W2	250	Pointed Soft Point
338 Remington Ultra Mag	PR338UM2	250	Pointed Soft Point
35 Remington	R35R1	150	Pointed Soft Point
35 Whelen	R35WH1	200	Pointed Soft Point
350 Remington Mag	R350M1	200	Pointed Soft Point

Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
CORE-LOKT® SOFT POINT			
257 Roberts	R257	117	Soft Point
270 Win	R270W4	150	Soft Point
280 Remington	R280R2	165	Soft Point
30-30 Win	R30301	150	Soft Point
30-30 Win	R30302	170	Soft Point
30-06 Springfield	R30064	180	Soft Point
30-06 Springfield	R30067	220	Soft Point
308 Marlin® Express	R308ME1	150	Soft Point
308 Win	R308W2	180	Soft Point
303 British	R303B1	180	Soft Point
32 Win Special	R32WS2	170	Soft Point
8mm Mauser	R8MSR	170	Soft Point
35 Remington	R35R2	200	Soft Point
450 Bushmaster®	R450B1	250	Soft Point
CORE-LOKT® HOLLOW POINT			
30-30 Win	R30303	170	Hollow Point

REMINGTON® RIFLE

Proof of our dedication to providing you with the widest selection of centerfire ammunition in the industry, our Rifle series consists of a multitude of calibers and popular bullet styles to match your specialized hunting and shooting pursuits. All assembled with premium components and the ultra-tight tolerances that put more home reloading presses on the back shelf than any other brand. Remington Rifle.



BRONZE POINT® TIPPED

Introduced by Remington® over 80 years ago, these were the first bullets to utilize a tipped design. Today Bronze Point still delivers exceptional long-range performance on medium-sized game. Sleek profile generates flat trajectory. On impact, the bronze tip is driven backward to create rapid, but controlled expansion.



Aerodynamic tip for superior long-range ballistics and rapid expansion

NEW

NEW

Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
REMINGTON® RIFLE			
17 Remington	R17R2	25	Hollow Point
22 Hornet	R22HN1	45	Pointed Soft Point
22 Hornet	R22HN2	45	Hollow Point
220 Swift	R220S1	50	Pointed Soft Point
222 Remington	R222R1	50	Pointed Soft Point
223 Remington	R223R1	55	Pointed Soft Point
223 Remington	R223R3	55	Metal Case
22-250 Remington	R22501	55	Pointed Soft Point
243 Win	R243W1	80	Pointed Soft Point
25-20 Win	R25202	86	Soft Point
250 Savage	R250S1	100	Pointed Soft Point
6.8mm Remington SPC	R68R1	115	Open Tip Match (OTM)
6.8mm Remington SPC	R68R2	115	Metal Case
270 Win	R270W1	100	Pointed Soft Point
7mm-08 Remington	R7M082	120	Hollow Point
30 Carbine	R30CAR	110	Soft Point
30 Remington AR	R30AR2	150	Pointed Soft Point
30-06 Springfield	R30069	55	Pointed Soft Point
30-06 Springfield	R30061	125	Pointed Soft Point
7.62x39mm	R762391	125	Pointed Soft Point
7mm Rem SA Ultra Mag	PR7SM3	160	Pointed Soft Point
32-20 Win	R32201	100	Lead
338 Lapua Mag	RM338LMR1	250	Scenar
338 Marlin Express	R338ME1	250	Soft Point
35 Whelen	R35WH3	250	Pointed Soft Point
375 H&H Mag	R375MI	270	Soft Point
375 Remington Ultra Mag	PR375UM2	270	Soft Point
444 Marlin	R444M	240	Soft Point
450 Bushmaster	PRA450B1	260	AccuTip
45-70 Government	R4570L	300	Semi-Jacketed Hollow Point
45-70 Government	R4570G	405	Soft Point

Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
BRONZE POINT® TIPPED			
270 Win	R270W3	130	Bronze Point Tipped
30-06 Springfield	R30063	150	Bronze Point Tipped
30-06 Springfield	R30066	180	Bronze Point Tipped

Caliber	Index/EDI No.	Bullet Wt. (grs.)	Bullet Type
POWER-LOKT® HOLLOW POINT			
222 Remington	R222R3	50	Power-Lokt Hollow Point
223 Remington	R223R3	55	Power-Lokt Hollow Point
243 Win	R243W2	80	Power-Lokt Hollow Point

POWER-LOKT® HOLLOW POINT

Remington® Power-Lokt® delivers unmatched performance for small game and varmint hunting. The thin copper jacket is electrolytically plated to the lead core for near-perfect concentricity and gyroscopic balance. The result? Dead-on, benchrest-type accuracy with instant fragmentation on impact.



243 WIN, 80-GR.
REMINGTON® POWER-LOKT®
HOLLOW POINT, .5", 100 YDS.



Plated copper jacket for superior accuracy and instant fragmentation on impact



MANAGED-RECOIL®

REDUCE RECOIL TO IMPROVE YOUR

At some point, all shooters feel the negative effects of recoil. Some hunters experience the frustration of missing a target because of flinching. Others know the aggravation of losing the opportunity for a second shot because of the time it takes for scope recovery. Then there's the shoulder pain after a day of hunting or practicing, which may deter future practice sessions. To fight these effects of recoil, Remington® developed Managed-Recoil® ammunition.

The Managed-Recoil ammunition succeeds where other recoil-control ammunition fails. Past attempts at curbing recoil have focused solely on the amount of gunpowder in the ammunition. Remington's Managed-Recoil focuses on the entire cartridge by incorporating a specially designed bullet built to perform at lower velocities.

FEATURES

- Fully effective hunting performance with less than 50% of the recoil of standard cartridges
- Less anticipation of recoil
- Increased shooter confidence and improved shot placement
- Quicker scope recovery for faster second shot placement
- Point of aim is within 2" of a standard cartridge at 100 yards
- Target practice without the recoil pounding
- Specially designed bullets are optimized to deliver 2x expansion with over 75% weight retention on shots out to 200 yards

FULLY EFFECTIVE ENERGY AND EXPANSION OUT TO 200 YARDS:



50 yards

100 yards

150 yards

200 yards

M A N A G E D - R E C O I L



YOUTH AND WOMEN. Managed-Recoil® allows youth and women to practice and hunt effectively and comfortably with half the recoil. It even lets you use an existing gun without readjusting the scope because "point of aim – point of impact" is nearly identical to standard cartridges at 100 yards.

PRACTICE MAKES PERFECT. For target shooters and hunters who target shoot to improve their performance, Managed-Recoil® cartridges provide more time on the range, without the bruises to prove it. After your practice session, you can switch to full-power ammunition without scope adjustment.

MANAGED-RECOIL® COPPER SOLID™ SABOT SLUG.

The best-selling terminal performance and accuracy of our Copper Solid Slugs is now available in Managed-Recoil loads. With 40% less recoil, they're perfect for anyone who wants outstanding on-game results in rifled barrels without the rearward punch. Or, use them to sight-in, then step up to full loads. There's no finer slug load for young or recoil-sensitive hunters.



Index/ EDI No.	Gauge	Length (in.)	Velocity (ft./sec. @ 3 ft.)	Slug Wt.	Pellet Count	Slug Type
MANAGED-RECOIL® COPPER SOLID™ SABOT SLUG						
RL12CS	12	2 ¼	1200	1	—	CS


MANAGED-RECOIL® SLUGGER® RIFLED SLUG.

Managed-Recoil® Slugger® Rifled Slugs offer remarkably effective performance with 45% less felt recoil than full velocity Sluggers. With effective energy out to 80 yards, these 1-ounce slugs easily handle the majority of smooth bore shotgun deer hunting ranges. Also check out Managed-Recoil Buckshot; it's an ideal close-range performer.



Index/ EDI No.	Gauge	Length (in.)	Velocity (ft./sec. @ 3 ft.)	Slug Wt.	Pellet Count	Slug Type
MANAGED-RECOIL® SLUGGER® RIFLED SLUG						
RL12RS	12	2 ¼	1200	1	—	Rifled Slug
MANAGED-RECOIL® BUCKSHOT						
RL12BK00	12	2 ¼	1200	—	8	00 BK

MARKSMANSHIP IN THE FIELD.



No scope readjustment necessary.
Remington® Managed-Recoil®
Point of Impact is nearly identical
to full velocity loads.


**Point of impact comparison
at 100 yards.**

- 30-06 Sprg. 125-grain
Managed-Recoil™
- 30-06 Sprg. 150-grain
PSP Core-Lokt

May not operate all recoil or gas-operated firearms


50% LESS RECOIL.

Remington® Managed-Recoil® centerfire cartridges deliver 50% less recoil than standard velocity ammunition. Managed-Recoil 270 Win, 308 Win and 30-06 actually deliver less recoil than a standard velocity 243 Win!



LETHAL PUNCH OUT TO 200 YARDS.

Managed-Recoil® rounds pack a lethal punch at the most common deer-hunting ranges. In fact, their energy levels exceed 1,100 ft.-lb. at 200 yards. Managed-Recoil 30-30 delivers 919 ft.-lb. at 100 yards and is fully effective on deer-sized animals out to 125 yards.



L A P P L I C A T I O N S



HUNTING WITH CONFIDENCE. Managed-Recoil® Rifle ammunition is designed for fully effective hunting performance out to 200 yards with less than half the recoil of a standard load. A shooter not anticipating the heavy recoil of a full load can better place a first shot on a game animal, and quickly re-acquire the target for a follow up shot.

RECOIL-SENSITIVE HUNTERS. For shooters that are unable or unwilling to tolerate the recoil of a standard cartridge on the range or on the field, Managed-Recoil® Cartridges are the perfect solution. Effective performance with half the recoil.

Caliber	Index/ EDI No.	Bullet Wt. (grs.)	Bullet Type	Velocity (ft./sec.)					Energy (ft.-lb.)					Trajectory (in.)			
				Muzzle	50 yd.	100 yd.	150 yd.	200 yd.	Muzzle	50 yd.	100 yd.	150 yd.	200 yd.	50 yd.	100 yd.	150 yd.	200 yd.
MANAGED-RECOIL® CENTERFIRE RIFLE CARTRIDGES																	
260 Remington	RL2601	140	Core-Lokt® PSP	2300	2206	2115	2024	1935	1644	1512	1389	1273	1165	0.1	zero	-2.1	-6.3
7mm-08 Remington	RL7M081	140	Core-Lokt® PSP	2300	2195	2095	1995	1895	1644	1498	1361	1235	1118	0.2	zero	-2.1	-6.5
270 Win.	RL270W2	115	Core-Lokt® PSP	2710	2558	2412	2270	2133	1875	1671	1485	1315	1161	0.1	zero	-1.6	-4.8
30-30 Win.	RL30301	125	Core-Lokt® PSP	2175	1993	1820	1658	1508	1313	1102	919	763	631	0.3	zero	-3.0	-9.1
30-06 Springfield	RL30062	125	Core-Lokt® PSP	2660	2495	2335	2182	2034	1964	1727	1513	1321	1148	-0.1	zero	-1.5	-4.9
300 Win. Mag.	RL300W1	150	Core-Lokt® PSP	2650	2509	2373	2241	2113	2339	2097	1875	1672	1486	-0.1	zero	-1.5	-4.7
308 Win.	RL308W1	125	Core-Lokt® PSP	2660	2501	2348	2199	2057	1964	1736	1529	1342	1174	-0.1	zero	-1.5	-4.9
7mm Remington Mag.	RL7MM4	140	Core-Lokt® PSP	2710	2594	2482	2372	2265	2283	2092	1915	1749	1595	0.0	zero	-1.5	-4.5
300 Remington Ultra Mag.	RL300UM1	150	Core-Lokt® PSP	2815	2669	2528	2391	2258	2639	2372	2127	1903	1698	0.3	0.8	zero	-2.3

MANAGED-RECOIL® BUCKHAMMER® LEAD SLUGS. Managed-Recoil® Technology has been applied to Remington's most devastating lead slug. We've reduced felt recoil by over 40% to make the BuckHammer® easier on the shooter without sacrificing its on-game performance. The Managed-Recoil BuckHammer 12-gauge slug travels at a fast 1,350 fps at the muzzle and maintains an impressive 1,032 ft.-lb.



of deer-stopping energy at 100 yards. The 20-gauge, at 1,275 fps., delivers 746 ft.-lb. of energy at 100 yards. Standard BuckHammer and Managed-Recoil BuckHammer slugs are designed for use with fully-rifled barrels or rifled choke tubes.

Index/ EDI No.	Length Gauge	Slug Wt. (oz.)	Velocity (ft./sec.)			Energy (ft.-lb.)			Trajectory (in.)		
			Muz.	50 yd.	100 yd.	Muz.	50 yd.	100 yd.	50 yd.	100 yd.	
MANAGED-RECOIL® BUCKHAMMER® LEAD SLUGS											
RL12LSS	12	2 1/4	1 1/4	1350	1107	972	1991	1340	1032	0.0	-5.5
RL20LSS	20	2 1/4	3/4	1275	1057	938	1379	948	746	0.0	-6.2

PISTOL & REVOLVER



EVERY APPLICATION, ONE BRAND. Remington® has been making centerfire handgun ammunition longer than anyone. It should then come as no surprise that we offer the broadest line of pistol and revolver ammunition available. With loadings tailored to virtually every potential shooting application, our line includes vast choices of calibers, bullet weights, bullet styles and combinations of all these. Choose from a complete range of traditional bullet styles, as well as from some of the most sophisticated handgun bullets made. All cartridges are assembled from the highest quality components – with meticulous quality control – to assure reliability in all handgun actions.

Caliber	Index/EDI No.	Primer No.	Wt. (grs.)	Bullet Style	Velocity (ft./sec.)			Energy (ft.-lbs.)			Mid-Range Trajectory		Barrel Length*
					Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.	
REMINGTON® P&R AMMUNITION													
25 (6.35mm) Auto.	R25AP	1 ½	50	Metal Case	760	707	659	64	56	48	2.0"	8.7"	2"
32 S&W	R32SW	1 ½	88	Lead Round Nose	680	645	610	90	81	73	2.5"	10.5"	3"
32 S&W Long	R32SWL	1 ½	98	Lead Round Nose	705	670	635	115	98	88	2.3"	10.5"	4"
32 (7.65mm) Auto.	R32AP	1 ½	71	Metal Case	905	855	810	129	115	97	1.4"	5.8"	4"
357 Mag.**	R357M7	5 ½	110	Semi-Jacketed Hollow Point	1295	1094	975	410	292	232	0.8"	3.5"	4"
	R357M1	5 ½	125	Semi-Jacketed Hollow Point	1450	1240	1090	583	427	330	0.6"	2.8"	4"
	R357M2	5 ½	158	Semi-Jacketed Hollow Point	1235	1104	1015	535	428	361	0.8"	3.5"	4"
	R357M3	5 ½	158	Soft Point	1235	1104	1015	535	428	361	0.8"	3.5"	4"
	R357M5	5 ½	158	Semi-Wadcutter	1235	1104	1015	535	428	361	0.8"	3.5"	4"
9mm Luger	R357M10	5 ½	180	Semi-Jacketed Hollow Point	1145	1053	985	524	443	388	0.9"	3.9"	8 ½"
	R9MM1	1 ½	115	Jacketed Hollow Point	1155	1047	971	341	280	241	0.9"	3.9"	4"
	R9MM3	1 ½	115	Metal Case	1145	1048	978	335	280	244	0.9"	4.0"	4"
	R9MM6	1 ½	115	Jacketed Hollow Point +P ‡	1250	1113	1019	399	316	265	0.8"	3.5"	4"
	R9MM2	1 ½	124	Metal Case	1110	1030	971	339	292	259	1.0"	4.1"	4"
380 Auto.	R9MM8	1 ½	147	Jacketed Hollow Point (Subsonic)	990	941	900	320	289	264	1.1"	4.9"	4"
	R380A1	1 ½	88	Jacketed Hollow Point	990	920	868	191	165	146	1.2"	5.1"	4"
38 S&W	R380AP	1 ½	95	Metal Case	955	865	785	190	160	130	1.4"	5.9"	4"
	R38SW	1 ½	146	Lead Round Nose	685	650	620	150	135	125	2.4"	10"	4"
38 Special**	R38S10	1 ½	110	Semi-Jacketed Hollow Point +P ‡	995	926	871	242	210	185	1.2"	5.1"	4"
	R38S16	1 ½	110	Semi-Jacketed Hollow Point	950	890	840	220	194	172	1.4"	5.4"	4"
	R38S2	1 ½	125	Semi-Jacketed Hollow Point +P ‡	945	898	858	248	224	204	1.3"	5.4"	4"
	R38S3	1 ½	148	Targetmaster® Lead WC Match	710	634	566	166	132	105	2.4"	10.8"	4"
	R38S5	1 ½	158	Lead Round Nose	755	723	692	200	183	168	2.0"	8.3"	4"
	R38S6	1 ½	158	Semi-Wadcutter	755	723	692	200	183	168	2.0"	8.3"	4"
38 Short Colt**	R38S12	1 ½	158	Lead Hollow Point +P ‡	890	855	823	278	257	238	1.4"	6.0"	4"
	R38SC	1 ½	125	Lead Round Nose	730	685	645	150	130	115	2.2"	9.4"	6"
40 S&W	R40SW1	5 ½	155	Jacketed Hollow Point	1205	1095	1017	499	413	356	0.8"	3.6"	4"
	R40SW2	5 ½	180	Jacketed Hollow Point	1015	960	914	412	368	334	1.3"	4.5"	4"
41 Rem. Mag.**	R41MG1	2 ½	210	Soft Point	1300	1162	1062	788	630	526	0.7"	3.2"	4"
44 Rem. Mag.**	R44MG2	2 ½	240	Soft Point	1180	1081	1010	741	623	543	0.9"	3.7"	4"
	R44MG3	2 ½	240	Semi-Jacketed Hollow Point	1180	1081	1010	741	623	543	0.9"	3.7"	4"
	R44SW	2 ½	246	Lead Round Nose	755	725	695	310	285	265	2.0"	8.3"	6"
44 S&W Special**	R45C1	2 ½	225	Semi-Wadcutter	960	890	832	460	395	346	1.3"	5.5"	5"
	R45C	2 ½	250	Lead Round Nose	860	820	780	410	375	340	1.6"	6.6"	5"
45 Auto.	R45AP2	2 ½	185	Jacketed Hollow Point	1000	939	889	411	362	324	1.1"	4.9"	5"
	R45AP4	2 ½	230	Metal Case	835	800	767	356	326	300	1.6"	6.8"	5"
	R45AP7	2 ½	230	Jacketed Hollow Point (Subsonic)	835	800	767	356	326	300	1.6"	6.8"	5"

‡Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer.
*Test Barrel Length **Vented Barrel Ballistics


GOLDEN SABER™ HPJ



DEAD-SERIOUS BULLET INNOVATION. A superior bullet for when the stakes are at their highest. Designed for law enforcement and personal defense, the Golden Saber™ High Performance Jacket successfully combines: match-type accuracy, deep penetration, maximum expansion and near 100% weight retention.

Caliber	Index/EDI No.	Primer No.	Wt. (grs.)	Velocity (ft./sec.)			Energy (ft.-lbs.)			Mid-Range Trajectory		Barrel Length
				Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.	
PREMIER® GOLDEN SABER™ HPJ (HIGH PERFORMANCE JACKET)												
357 Magnum*	GS357MA	5 1/2	125	1220	1095	1009	413	333	283	0.8"	3.5"	4"
9mm Luger	GS9MMB	1 1/2	124	1125	1031	963	349	293	255	1.0"	4.0"	4"
	GS9MMC	1 1/2	147	990	941	900	320	289	264	1.1"	4.9"	4"
9mm Luger (+P)	GS9MMD	1 1/2	124	1180	1089	1021	384	327	287	0.8"	3.8"	4"
380 Auto.	GS380B	1 1/2	102	940	901	866	200	184	170	1.2"	5.1"	4"
38 Special (+P)*	GS38SB	1 1/2	125	975	929	885	264	238	218	1.0"	5.2"	4"
40 S&W	GS40SWA	5 1/2	165	1150	1040	964	485	396	340	1.0"	4.0"	4"
	GS40SWB	5 1/2	180	1015	960	914	412	368	334	1.3"	4.5"	4"
45 Auto.	GS45APA	2 1/2	185	1015	951	899	423	372	332	1.1"	4.5"	5"
	GS45APB	2 1/2	230	875	833	795	391	355	323	1.5"	6.1"	5"
45 Auto. (+P)	GS45APC	2 1/2	185	1140	1042	971	534	446	388	1.0"	4.0"	5"

‡Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer.
*Note: These ballistics reflected vented barrel.



The bullet diameter directly ahead of the Driving Band™ is reduced from groove to bore diameter, so the bullet is precisely aligned before the Driving Band engages the rifling. The result: match-grade accuracy and reduced barrel friction that conserves velocity.

The high-performance jacket expands to a larger diameter than lead core – over 1.6x diameter. Minimal lead deformation retains energy for deeper penetration.



Pistol and Revolver Interchangeability chart is located on page 107.

UMC® AMMUNITION

UMC® HANDGUN CARTRIDGES.

All UMC ammunition is American-made in Lonoke, Arkansas, using first-quality factory-fresh brass and clean-shooting Kleanbore® primers to provide the best value for practice, personal defense and hunting.



UMC® RIFLE CARTRIDGES.

Made in the USA, value-priced and ideal for high-volume shooting, our UMC centerfire rifle ammunition is loaded in seven popular calibers, including the 30-06 Sprg, 308 Win, 7.62x39mm, 30 Carbine and 303 British. The 45- and 50-grain jacketed hollow point loads in 223 Remington and 22-250 Remington are perfect for varmint hunters. Available in 17 Remington Fireball® and 30 Remington® AR.



UMC® LEADLESS™ HANDGUN CARTRIDGES.

A must have for shooters that frequent indoor ranges, economical UMC® LeadLess™ cartridges virtually eliminate lead exposure at the firing line. Specially designed bullet actually prevents the vaporization of lead from the bullet's base upon firing. Standard bullet weights duplicate the ballistics of conventional loads.



Nose profile designed to function smoothly in all action types



LOOK FOR UMC
IN MONEY-SAVING
LARGE-QUANTITY
PACKAGING.

Caliber	Index/ EDI No.	Primer No.	Wt. (grs.)	Bullet Style	Velocity (ft./sec.)			Energy (ft.-lbs.)			Mid-range Trajectory	
					Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.
UMC® HANDGUN CARTRIDGES												
9mm Luger	L9MM1	1 1/4	115	JHP	1135	1041	973	329	277	242	0.9"	4.0"
	L9MM2	1 1/4	124	MC	1100	1030	971	339	292	259	1.0"	4.1"
	L9MM3	1 1/4	115	MC	1145	1048	978	335	280	244	0.9"	4.0"
	L9MM9	1 1/4	147	MC	990	941	900	320	289	264	1.1"	4.9"
	L10MM6	2 1/2	180	MC	1150	1063	998	529	452	398	0.9"	3.7"
25 Auto (6.35mm)	L25AP	1 1/4	50	MC	760	707	659	64	56	48	2.0"	8.7"
32 Auto	L32AP	1 1/4	71	MC	905	855	810	129	115	97	1.4"	5.8"
357 Magnum**	L357M12	5 1/4	125	JSP	1450	1240	1090	583	427	330	0.6"	2.8"
357 Sig.	L357S1	5 1/4	125	MC	1350	1146	1018	506	422	359	0.7"	3.3"
	L357S2	5 1/4	125	JHP	1350	1157	1032	506	372	296	0.7"	3.2"
38 Super Auto + P	L38SUP	1 1/4	130	MC	1215	1099	1017	426	348	298	0.8"	3.6"
38 Special + P***	L38S2	1 1/4	125	JHP	945	898	858	248	224	204	1.3"	5.4"
38 Special**	L38S5	1 1/4	158	LRN	755	723	692	200	183	168	2.0"	8.3"
	L38S11	1 1/4	130	MC	790	766	743	173	163	153	1.7"	7.2"
380 Auto	L380AP	1 1/4	95	MC	955	865	785	190	160	130	1.4"	5.9"
40 S & W	L40SW2	5 1/4	180	JHP	1015	960	914	412	368	334	1.3"	4.5"
	L40SW3	5 1/4	180	MC	990	940	898	392	353	322	1.1"	4.9"
	L40SW4	5 1/4	165	MC	1150	1040	964	485	396	340	1.0"	4.0"
44 Remington Mag**	L44MG7	2 1/2	180	JSP	1610	1365	1175	1036	745	551	0.5"	2.3"
45 Auto	L45AP1	2 1/4	185	MC	1015	955	907	423	375	338	1.1"	4.8"
	L45AP4	2 1/4	230	MC	835	800	767	356	326	300	1.6"	6.8"
	L45AP7	2 1/4	230	JHP	835	800	767	356	326	300	1.6"	6.8"
45 GAP	L45GAP4	2 1/4	230	MC	880	841	805	395	361	331	1.5"	6.2"

Caliber	Index/ EDI No.	Primer No.	Wt. (grs.)	Bullet Style	Velocity (ft./sec.)			Energy (ft.-lbs.)			Short-range Trajectory (in inches)					
					Muz.	100 yds.	200 yds.	Muz.	100 yds.	200 yds.	50	100	150	200	250	300
UMC® CENTERFIRE RIFLE CARTRIDGES																
17 Remington Fireball	L17FBV	7 1/2	25	JHP	3850	3280	2780	823	597	429	0.0	0.9	0.9	zero	-2.0	-5.4
223 Remington	L223R3	7 1/2	55	MC	3240	2759	2326	1282	929	660	-0.1	0.6	zero	-1.9	-5.5	-11.0
	L223R7	7 1/2	45	JHP	3550	2953	2430	1259	871	590	-0.1	0.4	zero	-1.7	-4.8	-9.7
	L223R8	7 1/2	50	JHP	3425	2899	2430	1302	933	655	-0.1	0.5	zero	-1.7	-4.9	-9.9
22-250 Remington	L223R9	7 1/2	62	CTFB	3100	2734	2396	1323	1029	790	0.1	0.6	zero	-1.9	-5.4	-10.6
	L22503	9 1/4	45	JHP	4000	3340	2770	1598	1114	767	-0.3	0.2	zero	-1.2	-3.5	-7.2
	L22504	9 1/4	50	JHP	3820	3245	2739	1620	1169	833	-0.1	0.8	0.9	zero	-2.0	-5.4
7.62x39mm	L762391	7 1/2	123	MC	2365	2060	1780	1527	1159	865	0.1	zero	-2.2	-6.8	-14.1	-24.5
30 Carbine	L30CR1	6 1/2	110	MC	1990	1567	1236	967	600	373	0.6	zero	-4.2	-12.9	-27.2	-48.6
30 Remington AR	L30RAR1	7 1/2	123	MC	2800	2464	2152	2141	1658	1264	0.9	2.1	1.9	zero	-3.8	-9.7
308 Win.	L308W4	9 1/2	150	MC	2820	2533	2263	2648	2137	1705	-0.1	zero	-1.2	-3.9	-8.4	-14.7
308 Win.	L308W4B	9 1/2	150	MC	2820	2533	2263	2648	2137	1705	-0.1	zero	-1.2	-3.9	-8.4	-14.7
30-06 Springfield	L30062	9 1/2	150	MC	2910	2617	2342	2820	2281	1827	-0.2	zero	-1.1	-3.6	-7.7	-13.6
303 British	L303B1	9 1/2	174	MC	2475	2209	1960	2366	1885	1484	0.1	zero	-1.9	-5.9	-12.2	-21.4

Caliber	Index/ EDI No.	Primer No.	Wt. (grs.)	Bullet Style	Velocity (ft./sec.)			Energy (ft.-lbs.)			Mid-range Trajectory	
					Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.
UMC® LEADLESS™ HANDGUN CARTRIDGES												
9mm Luger	LL9MM11	1 1/4	115	FNEB	1145	1048	978	335	280	244	0.9"	4.0"
	LL9MM2	1 1/4	124	FNEB	1100	1030	971	339	292	252	1.0"	4.1"
	LL9MM9	1 1/4	147	FNEB	990	941	900	320	289	264	1.1"	4.9"
38 Special**	LL38S17	1 1/4	125	FNEB	850	822	796	201	188	176	1.4"	6.4"
38 Special + P**	LL38S2	1 1/4	125	FNEB	975	935	899	264	242	224	1.2"	4.9"
380 Auto	LL380AP2	1 1/4	95	FNEB	955	865	785	190	160	130	1.4"	5.9"
40 S & W	LL40SW5	5 1/4	180	FNEB	990	940	898	392	353	322	1.1"	4.9"
45 Auto	LL45AP8	2 1/4	230	FNEB	835	800	767	356	326	300	1.6"	6.8"

**Note: These ballistics reflect vented barrel.


CTFB=Closed Tip Flat Base / MC = Metal Case / FNEB = Flat Nose Enclosed Base / JHP = Jacketed Hollow Point / JSP = Jacketed Soft Point / LRN = Lead Round Nose

AMMUNITION

RIMFIRE

PREMIER GOLD BOX™

RIMFIRE. Premium rimfire cartridges super-tuned for accuracy and terminal performance. Available in 17 HMR and 22 Win Mag, Premier Gold Box Rimfire Ammunition is loaded with AccuTip-V polymer-tipped bullets for incredible shot-to-shot consistency, flat trajectory and explosive expansion. Upgrading your rimfire rifle or handgun is as easy as shooting the right ammo. Think Premier Gold Box.



COMPETITION/TARGET RIMFIRE. When it comes to competition-grade rimfire ammunition, there's only one name good enough to share the Remington® brand – Eley. A company with a reputation for the world's most accurate and reliable rimfire ammunition, Eley, Ltd. has teamed up with Remington to offer three grades of their premier 22 long rifle ammunition for the serious target shooter: Target Rifle, Club XTRA and the elite Match EPS.



Caliber	Index/ EDI No.	Wt. (grs.)	Bullet Style	Velocity (ft./sec.)			Energy (ft.-lbs.)			Trajectory (in.)**		
				Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.	150 yds.
PREMIER® GOLD BOX RIMFIRE												
<i>Rimfire Magnum</i>												
Premier® 17 HMR	PR17HM1	17	AccuTip-V	2550	2212	1901	245	185	136	0.1	0.0	-2.6
Premier® 22 Win Mag	PR22M1	33	AccuTip-V	2000	1730	1495	293	219	164	0.6	0.0	-4.5

Caliber	Index/ EDI No.	Wt. (grs.)	Bullet Style	Velocity (ft./sec.)			Energy (ft.-lbs.)			Trajectory (in.)**		
				Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	25 yds.	50 yds.	100 yds.
COMPETITION/TARGET RIMFIRE												
<i>22 LR Remington/Eley</i>												
Match EPS	RE22EPS	40	Lead Flat Nose	1085	1006	941	105	90	79	0.3	0.0	-7.1
Club Xtra	RE22CX	40	Lead Round Nose	1085	1006	941	105	90	79	0.3	0.0	-7.1
Target Rifle	RE22T	40	Lead Round Nose	1085	1006	941	105	90	79	0.3	0.0	-7.1

**Note: Sight height 1.5" above axis of bore.



RIMFIRE. Prairie dogs. Tin cans. Or a bulls-eye. No matter what you put in your sights, Remington® offers the perfect 22 rimfire ammunition for any occasion. Remington rimfire ammunition delivers the quality you expect. That's because we put the same level of care into making our rimfire ammunition as we do our centerfire ammunition, so you'll get the maximum performance from every shot.

Caliber/Velocity	Index/EDI No.	Wt. (grs.)	Bullet Style	Velocity (ft./sec.)			Energy (ft.-lbs.)			Trajectory (in.)**		
				Muz.	50 yds.	100 yds.	Muz.	50 yds.	100 yds.	50 yds.	100 yds.	150 yds.
22 Rimfire Magnum												
Remington 22 Magnum	R22M1	40	Jacketed Hollow Point	1910	1610	1350	324	230	162	0.9	0.0	-5.7
Remington 22 Magnum	R22M2	40	Pointed Soft Point	1910	1600	1340	324	227	159	1.0	0.0	-5.8
Caliber/Velocity	Index/EDI No.	Wt. (grs.)	Bullet Style	Velocity (ft./sec.)			Energy (ft.-lbs.)			Trajectory (in.)**		
22 LR Hyper Velocity												
Yellow Jacket®	1722/1700+	33	Truncated Cone Hollow Point	1500	1247	1075	165	114	85	-0.2	0.0	-4.1
Viper®	1922/1900+	36	Truncated Cone Solid	1410	1198	1056	159	115	89	-0.1	0.0	-4.7
22 Short High Velocity												
Remington Golden Bullet	1022/1000+	29	Plated Lead Round Nose	1095	982	903	77	62	52	0.3	0.0	-7.4
22 LR High Velocity												
Remington Golden Bullet	1522/1500+	40	Plated Lead Round Nose	1255	1113	1017	140	110	92	0.0	0.0	-5.6
Remington Golden Bullet	1622+/1600++	36	Plated Hollow Point	1280	1117	1010	131	100	82	0.0	0.0	-5.6
Thunderbolt®	TB-22A+++	40	Round Nose	1255	1113	1017	140	110	92	0.0	0.0	-5.6
Cyclone™	CY-22HP+++	36	Hollow Point	1280	1117	1010	131	100	82	0.0	0.0	-5.6
Game Load	GL-22HP	36	Hollow Point	1280	1117	1010	131	100	82	0.0	0.0	-5.6
22 LR Standard Velocity												
Target	6122/6100+	40	Round Nose	1150	1048	976	117	98	85	0.2	0.0	-6.4
22 LR Subsonic™™												
Subsonic	SUB22HP/SUB22HP1+	38	Hollow Point	1050	965	901	93	79	69	0.3	0.0	-7.7
22 LR Low Noise												
CBee	CB-22U00+	33	Hollow Point	740	687	638	40	35	30	-1.5	0.0	-16.9

**Note: Sight height 1.5" above axis of bore. + These 22's available in slide-open plastic packs of 100. ++ Available in 525 round and 550 round bulk packs. +++ Available in 500 round bulk pack.

COMPONENTS

REMINGTON® RELOADING COMPONENTS. If you reload your own cartridges, then you shouldn't settle for anything but the best reloading components in the business – Remington. We offer industry-leading products that are changing the way sportsmen think about reloading.



PREMIER® CORE-LOKT® ULTRA BONDED® BULLETS. Combine world-class accuracy with bonded bullet toughness to give unmatched on-game performance. Core-Lokt Ultra Bonded – the new performance standard for your big game hunting handloads.



PREMIER® ACCUTIP BULLETS. Top off your handloads with the most accurate polymer-tipped bullet available today. Near-perfect concentricity and an overall ballistically superior design make it one of the flattest-shooting bullets in the world. Choose AccuTip for big-game hunting or AccuTip-V for awesome performance on varmints.



CORE-LOKT® BULLETS. “The Deadliest Mushroom in the Woods,” now a handloading component. It's the original controlled-expansion big-game bullet, delivering massive energy transfer as it expands to nearly 2x original diameter. For dead-sure reliability, choose Core-Lokt bullets for your hunting handloads.



Index/EDI No.	Description
CENTERFIRE PRIMERS	
X22600	1 1/2 Small Pistol
X22604	2 1/2 Large Pistol
X22626	5 1/2 Small Pistol
X22606	6 1/2 Small Rifle
X22628	7 1/2 Small Rifle BR
X22608	9 1/2 Large Rifle
X22622	9 1/2 M Magnum Rifle
ETRONX™ ELECTRIC CENTERFIRE PRIMERS	
XEL22610	9 1/2 Large Rifle (Electric)

Index/EDI No.	Description
CONSUMER PACK RIFLE BRASS	
RC17FB	17 Remington Fireball
RC17R	17 Remington
RC204R	204 Ruger
RC22H	22 Hornet
RC221FB	221 Remington Fireball
RC222R	222 Remington
RC223R	223 Remington
RC2250R	22-250 Remington
RC220S	220 Swift
RC243W	243 Win
RC6MMR	6mm Remington
RC2506R	25-06 Remington
RC2520W	25-20 Win
RC257R	257 Roberts
RC65S	6.5x55 Swedish Mauser
RC260R	260 Remington
RC68SPCR	6.8mm Remington SPC
RC270W	270 Win
RC270WSM	270 WSM
RC7M08R	7mm-08 Remington
RC7MMG	7mm Remington Magnum
RC7MMRS	7mm Remington SA Ultra Magnum
RC7MMRA	7mm Remington Ultra Magnum
RC280R	280 Remington
RC3030W	30-30 Win
RC300RS	300 Remington SA Ultra Magnum
RC300RA	300 Remington Ultra Magnum
RC3006	30-06 SPRG
RC300WM	300 Win Mag
RC300WSM	300 WSM
RC303B	303 British
RC308W	308 Win
RC3220W	32-20 Win
RC38MSR	8mm Mauser
RC38MMG	8mm Remington Magnum
RC338W	338 Win Mag
RC338RA	338 Remington Ultra Magnum
RC350R	350 Remington Magnum
RC35W	35 Whelen
RC375H	375 H&H Magnum
RC375RA	375 Remington Ultra Magnum
RC4440W	44-40 Win
RC4570G	45-70 Government
CONSUMER PACK PISTOL BRASS	
RC357MG	357 Magnum
RC357X	357 Maximum
RC9MM	9mm Luger
RC38AS	38 Super Auto +P
RC38SP	38 Special

Index/EDI No.	Description
CONSUMER PACK PISTOL BRASS (cont.)	
RC40SW	40 S&W
RC41RA	41 Remington Magnum
RC44RA	44 Remington Magnum
RC44SW	44 S&W
RC45C	45 Colt
RC45A	45 Auto
RC454C	454 Casull

Index/EDI No.	Caliber	Wt. (gr.)	Bullet Type
CONSUMER PACK BAGGED RIFLE BULLETS			
RB2241	224	45	HP
RB2242	224	50	PSP
RB224P1	224	50	PLHP
RB2244	224	55	MC
RB2243	224	55	PSP
RB224P2	224	55	PLHP
RB2247	224	62	HP Match
RB243P1	243	80	PLHP
RB2432	243	80	PSP
RB2682	6.8mm	115	MC
RB3085	308	150	MC
RB303B	310 (303 Brit.)	180	SP Core-Lokt
RB3231	8mm	185	PSP Core-Lokt
RB4571	457	300	SJHP
CONSUMER PACK BAGGED PISTOL BULLETS			
RB9MM3	9mm	115	MC
RB9MM11	9mm	115	FNEB
RB9MM5	9mm	115	JHP
RB9MM2	9mm	124	MC
RB9MM8	9mm	147	JHP
RB380AP	356 380 Auto	95	MC
RB38S11	356 38 Special	130	MC
RB357M7	357/38	110	SJHP
RB357M1	357/38	125	SJHP
RB357M2	357/38	158	SJHP
RB40SW1	40/10mm	155	JHP
RB40SW3	40/10mm	180	MC
RB40SW5	40/10mm	180	FNEB
RB40SW2	40/10mm	180	JHP
RB41MG1	41	200	SJHP
RB44MG6	44	210	SJHP
RB44MG3	44	240	SJHP
RB45AP4	45 Automatic	230	MC
RB45AP8	45 Automatic	230	FNEB
RB45AP7	45 Automatic	230	JHP

Index/EDI No.	Caliber	Wt. (gr.)	Bullet Type
PREMIER® CORE-LOKT® ULTRA BONDED® BULLETS			
RBC2433	243/6mm	100	PSP
RBC2571	25	115	PSP
RBC2642	26/6.5mm	140	PSP
RBC2682	27/6.8mm	115	PSP
RBC2772	27/6.8mm	140	PSP
RBC2841	28/7mm	140	PSP
RBC2843	28/7mm	160	PSP
RBC3081	30	150	PSP
RBC3082	30	168	PSP
RBC3083	30	180	PSP
RBC3381	338	225	PSP
PREMIER® ACCUTIP BULLETS			
RBA1771	17	20	AccuTip-V
RBA2042	20	40	AccuTip-V
RBA2241	22	50	AccuTip-V
RBA2242	22	55	AccuTip-V
RBA2431	24/6mm	75	AccuTip-V
RBA2432	24/6mm	95	AccuTip
RBA2642	26/6.5mm	140	AccuTip
RBA2771	27	130	AccuTip
RBA2841	28/7mm	140	AccuTip
RBA2842	28/7mm	150	AccuTip
RBA3081	30	150	AccuTip
RBA3082	30	165	AccuTip
RBA3083	30	180	AccuTip
CORE-LOKT® BULLETS			
B2432	24/6mm	100	PSP
B2571	25	100	PSP
B2462	26/6.5mm	140	PSP
B2772	27	130	PSP
B2842	28/7mm	150	PSP
B3081	30	150	PSP
B3083	30	180	PSP
B30301	30	150	SP


BR = Bench Rest / FNEB = Flat Nose Enclosed Base
 HP = Hollow Point / JHP = Jacketed Hollow Point / MC = Metal Case
 PLHP = Power Lokt Hollow Point / PSP = Painted Soft Point
 SJHP = Semi-Jacketed Hollow Point / SP = Soft Point

PREMIER® ACCUTIP BONDED SABOT SLUG

THEY PUNCH HUGE HOLES WITH PINPOINT ACCURACY, AND IT'S ALL ABOUT THE TIP.

The AccuTip doesn't just look intimidating, it's flattening whitetails and competitors in the tipped-slug market with devastating ferocity. Guided by our Power Port™ Tip, these bonded sabot slugs hit with a degree of accuracy and terminal performance unmatched by any other we've tested. It is a true masterpiece of aerodynamics that consistently prints tiny 100-yard groups and transfers tremendous knockdown force to the farthest reaches of shotgun range. At 58-cal, our 12-gauge version is the largest tipped slug you'll find anywhere. In field testing, both the 12- and 20-gauge versions produced huge wound channels and crumpled every deer they touched with a single shot. Spiral nose cuts, bonded construction and a high-strength cartridge-brass jacket come together on game to create large, perfect mushrooms with over 95% weight retention from 5 to 200 yards. With performance as revolutionary as its appearance, this is one deer-hunting tip sure to get results.


Available in 2 3/4" or 3" 12-gauge and 20-gauge versions.




CONTROLLED EXPANSION – ANOTHER DEADLY MUSHROOM (12 GA.)



FEATURES	12-gauge	20-gauge
Power Port™ Tip delivers dramatically superior ACCURACY	Yes	Yes
Spiral nose cuts and proprietary bonding technology CONTROL EXPANSION at all ranges	5-200 yards	5-150 yards
High WEIGHT RETENTION at all distances	98% @ 100 yards	98% @ 100 yards
Slug jacket made from HIGH-STRENGTH cartridge brass	Yes	Yes
Designed for use in FULLY-RIFLED barrels only	Yes	Yes



The Premier® AccuTip slug exhibits impressive accuracy at all ranges. (5-shot @ 100 yds. with 1.2" groups)




20 GAUGE, 260 GRAIN, .45 CALIBER

Index/EDI No.	Gauge	Length (in.)	Slug Wt. (oz.)	Velocity (ft./sec.)			Energy (ft.-lb.)			Trajectory (in.)		
				Muz.	50 yd.	100 yd.	Muz.	50 yd.	100 yd.	50 yd.	100 yd.	150 yd.
PREMIER® ACCUTIP BONDED SABOT SLUGS												
PRA12	12	2 3/4"	385-gr.	1850	1611	1401	2925	2218	1677	2.7	3.6	0.0
PRA12M	12	3"	385-gr.	1900	1656	1439	3086	2344	1771	2.5	3.4	0.0
PRA20	20	2 3/4"	260-gr.	1850	1610	1399	1976	1496	1130	2.7	3.6	0.0
PRA20M	20	3"	260-gr.	1900	1655	1438	2084	1581	1193	2.5	3.4	0.0

[†] 0.0 indicates yardage at which shotgun was sighted in.

HIGH-PERFORMANCE SABOT SLUGS

PREMIER® CORE-LOKT® ULTRA BONDED® SABOT SLUGS. This is one slug that's anything but sluggish when it comes to performance. The Remington® Core-Lokt Ultra Bonded® is a sleek, ultra-fast, flat-shooting shotgun sabot slug that's virtually in a class of its own. With incredible accuracy, it delivers a 385-grain, .50-caliber, jacketed, bonded bullet that yields near 100% weight retention and expands to 2x in diameter. Designed for use in fully rifled barrels only, the Core-Lokt® Ultra Bonded offers a high-tech blend of sabot power and surgical precision that could be just what the doctor ordered.



MANAGED-RECOIL® COPPER SOLID™ SABOT SLUGS. The best-selling terminal performance and accuracy of our Copper Solid Slug is now available in a reduced recoil load. With 40% less recoil, they're perfect for anyone who wants outstanding on-game results without the rearward punch. Or, use them to sight-in, then step up to full loads. There's no finer slug load for young or recoil-sensitive hunters.



Index/EDI No.	Gauge	Length (in.)	Slug Wt. (oz.)	Velocity (ft./sec.)			Energy (ft.-lb.)			Trajectory (in.)		
				Muz.	50 yd.	100 yd.	Muz.	50 yd.	100 yd.	50 yd.	100 yd.	150 yd.
PREMIER® CORE-LOKT® ULTRA BONDED® SABOT SLUGS												
PR12CLU	12	2 3/4	385-gr.	1900	1770	1648	3086	2682	2325	1.8	2.4	0.0
PR20CLU	20	2 3/4	260-gr.	1900	1750	1615	2084	1774	1506	2.0	2.7	0.0
PREMIER® COPPER SOLID™ SABOT SLUGS												
PR12CS	12	2 3/4	1	1450	1320	1208	2040	1689	1417	0.0*	-3.5	—
PR12MCS	12	3	1	1550	1408	1283	2331	1923	1597	0.0*	-2.9	—
PR20CS	20	2 3/4	1/2	1500	1360	1240	1444	1187	986	0.0*	-3.1	—
MANAGED RECOIL® COPPER SOLID™ SABOT SLUG												
RL12CS	12	2 3/4	1	1200	1113	1046	1400	1204	1063	0.0	-5.5	—

* 0.0 indicates yardage at which shotgun was sighted in.

PREMIER® COPPER SOLID™ SABOT SLUGS. The unique, all-copper shotgun deer load. Designed specifically for use in fully rifled barrels. Outstanding on-game performance with 2x caliber expansion and virtually 100% weight retention. Consistently delivers 2 1/2", 5-shot groups at 100 yards.




HIGH-PERFORMANCE LEAD SLUGS

BUCKHAMMER® LEAD SLUGS. When it's time to put the hammer down, this lead slug delivers a devastating one-two punch of precision and explosive power. Specifically designed for rifled barrels and rifled choke tubes, it has an attached stabilizer that optimizes flight to produce 3-inch, 100-yard groups. And weight retention at impact is consistently 100 percent. Choices include 12- and 20-gauge full-power and Managed-Recoil® versions. This season, put that big buck down for the count with the hardest-hitting, most accurate lead slug in the woods. BuckHammer.®



The BuckHammer's lead slug offers near 100% weight retention with full 12-gauge (.73 cal.) diameter.



The innovative design of the stabilizer allows the BuckHammer® to deliver 3" groups at 100 yards with 13% more energy than any other lead slug on the market. (3", 1 3/8 oz. 12 gauge)



The BuckHammer® Lead Slug exhibits impressive accuracy by putting 100 shots inside an amazing 3 1/8" group at 100 yards. (2 3/4", 1 oz. 20 gauge)

Index/EDI No.	Gauge	Length (in.)	Slug Wt. (oz.)	Velocity (ft./sec.)			Energy (ft.-lb.)			Trajectory (in.)		
				Muz.	50 yd.	100 yd.	Muz.	50 yd.	100 yd.	50 yd.	100 yd.	150 yd.
BUCKHAMMER® LEAD SLUGS												
SP12LSS	12	2 3/4	1 3/4	1550	1320	1145	2935	2177	1600	0.0	-3.6	—
SP12MLSS	12	3	1 7/8	1500	1234	1059	3232	2281	1710	0.0	-4.0	—
SP20LSS	20	2 3/4	1	1500	1159	995	2236	1461	1074	0.0	-4.6	—
SP20MLSS	20	3	1	1550	1245	1051	2470	1592	1135	0.0	-4.1	—
MANAGED-RECOIL® BUCKHAMMER® LEAD SLUGS												
RL12LSS	12	2 3/4	1 3/4	1350	1107	972	1991	1340	1032	0.0	-5.5	—
RL20LSS	20	2 3/4	7/8	1275	1057	938	1379	948	746	0.0	-6.2	—

Index/EDI No.	Gauge/Bore	Length (in.)	Slug Wt. (oz.)	Velocity (ft./sec.)			Energy (ft.-lb.)			Trajectory (in.)	
				Muz.	50 yd.	100 yd.	Muz.	50 yd.	100 yd.	50 yd.	100 yd.
SLUGGER® HIGH VELOCITY RIFLED SLUGS											
SPH12RS	12	2 3/4	7/8	1800	1252	978	2751	1517	813	0.0 [†]	-4.1
SPH12MRS	12	3	7/8	1875	1302	998	2989	1442	847	0.0 [†]	-3.7
SPH20RS	20	2 3/4	7/8	1800	1321	1037	1575	848	523	0.0 [†]	-3.6
SLUGGER® RIFLED SLUGS											
SP12RS	12	2 3/4	1	1560	1175	977	2361	1340	926	0.0 [†]	-4.8
S12SRS	12	2 3/4	1	1680	1285	1045	2738	1605	1059	0.0 [†]	-3.8
S12MRS	12	3	1	1760	1345	1075	3005	1753	1121	0.0 [†]	-3.4
SP16RS	16	2 3/4	7/8	1600	1175	965	1989	1072	724	0.0 [†]	-4.8
SP20RS	20	2 3/4	7/8	1580	1240	1034	1513	931	648	0.0 [†]	-4.2
SP41RS	410	2 3/4	7/8	1830	1335	1040	654	348	211	0.0 [†]	-3.5
MANAGED-RECOIL® SLUGGER® RIFLED SLUG											
RL12RS	12	2 3/4	1	1200	988	873	1397	948	739	0.0 [†]	-7.4

[†] 0.0 indicates yardage at which shotgun was sighted in.



SLUGGER® HIGH VELOCITY RIFLED SLUGS.

This higher velocity slug exits the barrel at 1,800 fps, 13% faster than standard 1 oz. slugs. The 7/8 oz. Slugger High Velocity delivers more energy at 50 yards with flatter trajectory on deer than standard 1 oz. slugs. Produced in most popular slug loadings – 2 3/4" and 3" 12 gauge and 2 3/4" 20 gauge. Designed for the avid deer hunter using smooth bore guns.



SLUGGER® RIFLED SLUGS.

Remington's most popular, accurate, hard-hitting slug. Slightly oversized for great smooth-bore shotgun performance, resulting in better sealing against the barrel wall for greater accuracy.

Index/EDI No.	Gauge	Shell Length	Velocity (ft./sec. @ 3 ft.)	Buckshot Size	Pellet Count
EXPRESS® MAGNUM BUCKSHOT LOADS – BUFFERED					
12SB00	12	2 1/2"	1290	00	12
12HB000	12	3"	1225	000	10
12HB00	12	3"	1225	00	15
12HB4	12	3"	1225	4	41
1235B00 [†]	12	3 1/2"	1125	00	18
EXPRESS® BUCKSHOT LOADS – BUFFERED					
12B000	12	2 1/2"	1325	000	8
12B00 [†]	12	2 1/2"	1325	00	9
12B0	12	2 1/2"	1275	0	12
12B1	12	2 3/4"	1250	1	16
12B4	12	2 3/4"	1325	4	27
20B3	20	2 3/4"	1220	3	20
MANAGED-RECOIL® BUCKSHOT					
RL12BK00	12	2 1/2"	1200	00	8

[†] Utilizes Remington® Power-Piston one-piece wad.



EXPRESS® MAGNUM AND EXPRESS® BUCKSHOT.

One of the great values in shotgun deer loads. A combination of heavy cushioning behind the shot column and a granulated polymer buffering helps maintain pellet roundness for tight, even patterns.

WINGMASTER HD®

DROP-DEAD BETTER.®

Absolutely no shotshell on the market can touch Wingmaster HD at long range. All of its revolutionary characteristics – optimized density, choke responsiveness and consistent roundness – come together on game with an unmatched level of deadly force. Patterns with Wingmaster HD will put a Drop-Dead Better® 60% of its pellets in a 30" circle at 60 yards!

At 12.0 g/cc, it's 10% denser than lead and 56% denser than steel. Most importantly, it's the scientifically proven most lethal combination of bone-crushing energy and pellets on-bird. Wingmaster HD is also nearly as soft as steel shot, which makes it easier on your barrel than most high-density loads. And it's more responsive to chokes, allowing you to open up the pattern for close-range hunting or stretch shotgun range to its farthest reaches. Dramatically stretch your kill zone with the most deadly extended-range payload you can buy. Remington Wingmaster HD.



Wingmaster HD® Waterfowl and Predator Payloads

THE ULTIMATE EXTENDED-RANGE PAYLOAD

- Denser patterns
- Devastating pellet energy
- Flies true – near perfect shape

FEATURES

- HD = Heavy Density
- 12.0 g/cc density for optimal combination of pellet count and pattern density
- Proprietary composite of Tungsten-Bronze-Iron
- Round, consistent pellets:
 - Travel straighter and longer
 - Improve long-range lethality
 - Tighter patterns
 - More even pellet distribution
- Uniform pellet density
- Softer pellets are easier on your barrel and more responsive to chokes
- Better patterns at long and short ranges – more lethal than lead
- Approved for waterfowl hunting by the USF&W and Canada



MORE UNIFORM WEIGHT.


Wingmaster HD's smooth, round pellets are extremely aerodynamic. They are uniform in weight and true to listed shot size.

Non-toxic, 56% denser than steel and 10% denser than lead, it's the most lethal choice whatever you're shotgunning for:


**WATERFOWL
TURKEY
PREDATORS**


12.0 G/CC – BEST PELLET MATERIAL DENSITY.

Testing proves Wingmaster HD® delivers the best combination of pellet energy and pattern density.




DEEPER PENETRATION AT LONG RANGES.






WINGMASTER HD® VS. STEEL MAGNUM.

Use pellets three sizes smaller with Wingmaster HD and get per-pellet energy equal to steel – with double the pellets on the target.



Wingmaster HD® – 12-ga., 3" – 1 3/8 oz., #6 shot



Steel Magnum – 12-ga., 3" – 1 3/8 oz., #3 shot



WINGMASTER HD® TURKEY PAYLOADS

Long range turkey devastation. Its smooth, round shape delivers awesome aerodynamics and sustained payload energy.

Index/ EDI No.	Gauge	Length (in.)	Velocity (ft./sec. @ 3 ft.)	Ounces of Shot	Shot Sizes
WINGMASTER HD® WATERFOWL PAYLOADS – 10 ROUNDS PER BOX					
RW10B					BB
RW102	10	3 1/2	1300	1 1/4	2
RW104					4
RW12S4	12	2 3/4	1325	1 1/4	4
RW12S6					6
RW122					2
RW124	12	3	1450	1 1/4	4
RW126					6
RW12M2					2
RW12M4	12	3	1450	1 1/4	4
RW12M6					6
RW12HMB					BB
RW12HM2	12	3	1300	1 1/2	2
RW12HM4					4
RW1235MB					BB
RW1235M2	12	3 1/2	1300	1 1/4	2
RW1235M4					4
RW1235M6					6
RW20SM4	20	2 3/4	1300	1	4
RW20SM6					6
RW20M4	20	3	1300	1 1/4	4
RW20M6					6
WINGMASTER HD® MAGNUM TURKEY PAYLOADS – 5 ROUNDS PER BOX					
RW12MH4	12	3	1225	1 1/4	4
RW12MH6					6
RW1235HM4	12	3 1/2	1225	1 1/4	4
RW20HM4	20	3	1185	1 1/4	4
WINGMASTER HD® PREDATOR PAYLOADS – 10 ROUNDS PER BOX					
RW12VT	12	3	1300	1 1/2	T
RW1235VT	12	3 1/2	1350	1 1/4	T

NITRO-STEEL® WATERFOWL

THE MIGRATION'S STEEL WALL.

Short or long, Nitro-Steel® stops 'em dead with tight, consistent patterns and premium zinc-plated steel pellets – it's premium performance at a very reasonable price. And we make it in a wide range of loads to suit any hunt – 10 to 20 gauge, maximum payloads and high velocities. Trust your dollar to a legend. Remington.®



Zinc-plated loads prevent corrosion.



FEATURES

- Loaded with top-quality, premium steel shot
- Zinc-plated shot to prevent corrosion
- Wetproof™ sealed at primer and mouth
- High-velocity and magnum loadings
- Complete line for all waterfowl hunting situations

Index/ EDI No.	Gauge	Length (in.)	Velocity (ft./sec. @ 3 ft.)	Ounces of Shot	Shot Sizes
NITRO-STEEL® HIGH VELOCITY MAGNUM LOADS					
NS10MT	10	3 1/2	1260	1 1/4	BB, 2
NS12HVS	12	2 3/4	1390	1 1/4	2, 4
NS12S	12	2 3/4	1275	1 1/4	BB, 2, 4
NS12MC	12	3	1450	1 1/4	BBB, BB, 1, 2, 3, 4
NS12HM	12	3	1300	1 3/8	T, BBB, BB, 2, 3, 4
NS1235	12	3 1/2	1300	1 3/8	T, BBB, BB, 2
NS16HV	16	2 3/4	1300	5/16	2, 4
NS20HVS	20	2 3/4	1425	3/4	2, 4
NS20M	20	3	1330	1	2, 4

SPORTSMAN® HI-SPEED™ STEEL LOADS



HIGH VELOCITY, HIGH VALUE.

- Economical, Hi-Speed™ steel loads
- Waterfowl loads for every hunting situation
- Upland loads for use in non-toxic zones and for practice shooting
- Shot size selection to match your game

Index/ EDI No.	Gauge	Length (in.)	Velocity (ft./sec. @ 3 ft.)	Ounces of Shot	Shot Sizes
SPORTSMAN® HI-SPEED™ STEEL LOADS					
SSTHV10	10	3 1/2	1500	1 1/4	BB, 2
SST12	12	2 3/4	1365	1	6, 7
SST12S	12	2 3/4	1375	1 1/4	2, 4
SSTHV12H	12	3	1550	1 1/4	BB, 2, 4
SSTHV12HM	12	3	1400	1 1/4	BB, 1, 2, 3, 4
SST12HM	12	3	1300	1 3/8	BB, 2
SSTHV1235	12	3 1/2	1550	1 1/4	BB, 2
SST20	20	2 3/4	1425	3/4	7

LEAD MAGNUMS

PREMIER® HIGH VELOCITY MAGNUM COPPER-PLATED BUFFERED TURKEY LOADS.

The high-performance lead load for avid turkey hunters. 3" and 3 1/2" 12-gauge payload leaves the muzzle at 1,300 fps. Delivers hard-hitting knockdown power. Loaded with our Power Piston® one-piece wad and Magnum-grade Copper-Lokt® lead shot for dense patterns and deep penetration.



PREMIER® MAGNUM COPPER-PLATED BUFFERED TURKEY LOADS.

Our original Magnum turkey loads. As fine a lead shotshell as you can carry in the woods. Magnum-grade Copper-Lokt® shot is cushioned with special polymer buffering and further protected by our Power Piston® one-piece wad for dense, even patterns. Delivers superb performance and devastating knockdown power out of tightly constricted turkey chokes.




PREMIER® DUPLEX® MAGNUM COPPER-PLATED BUFFERED LOADS.

A specialized layering of Magnum-grade Copper-Lokt® No. 4 shot over No. 6 shot. Larger pellets deliver excellent retained energy and penetration, while smaller pellets enhance pattern density. Awesome versatility for uncertain shooting distances on turkeys and late-season pheasants.

NITRO MAG® BUFFERED MAGNUMS.

Excellent for turkey or long-range pheasants. Heavy payloads of Magnum-grade shot are packed with polymer buffering and enclosed in our patented Power Piston® one-piece wad to provide dense, even patterns and uniform shot strings.



NITRO TURKEY®

NITRO TURKEY® EXTENDED RANGE BUFFERED MAGNUMS.

- Nitro Mag® extra-hard lead shot
- Patterns over 80% with Super Full choke
- Patterns like copper-plated shot
- Value price



Index/ EDI No.	Gauge	Length (in.)	Velocity (ft./sec. @ 3 ft.)	Ounces of Shot	Shot Sizes
PREMIER® HIGH VELOCITY MAGNUM COPPER-PLATED TURKEY LOADS – BUFFERED					
PHV12M	12	3	1300	1 1/4	4, 5, 6
PHV1235M	12	3 1/2	1300	2	4, 5
PREMIER® MAGNUM COPPER-PLATED LEAD TURKEY LOADS – BUFFERED					
P10HM	10	3 1/2	1210	2 1/4	4
P12SM	12	2 1/4	1260	1 1/2	4, 5
P12XHM	12	3	1175	2	4, 5, 6
P1235M	12	3 1/2	1150	2 1/4	4
P20XHM	20	3	1185	1 1/4	6
PREMIER® DUPLEX® MAGNUM COPPER-PLATED LOADS – BUFFERED					
MP12S	12	2 1/4	1260	1 1/2	4x6
MP12H	12	3	1210	1 1/4	4x6
NITRO MAG® LOADS – BUFFERED					
NM12S	12	2 1/4	1260	1 1/2	2, 4, 6
NM12	12	3	1280	1 1/4	4, 6
NM12H	12	3	1210	1 1/4	2, 4, 6
NM20S	20	2 1/4	1175	1 1/4	4, 6
NM20H	20	3	1185	1 1/4	4, 6
NITRO TURKEY® MAGNUM LOADS – BUFFERED					
NT12S4	12	2 1/4	1260	1 1/2	4
NT12H	12	3	1210	1 1/4	4, 5, 6
NT1235	12	3 1/2	1300	2	4, 5, 6
NT20M	20	3	1185	1 1/4	5

UPLAND


NITRO PHEASANT® LOADS.

For pattern, energy and performance, nobody beats Nitro Pheasant. The best of our Pheasant load offerings, Nitro Pheasant uses Remington's own Copper-Lok® copper-plated lead shot with high antimony content, the hardest lead we make for hunting. Hard shot stays rounder for truer flight, tighter patterns and greater penetration. So when it comes to bringing down tough birds like pheasant, you need a load that delivers maximum pattern density and lethal energy – you need Nitro Pheasant. Available in both high velocity and magnum loadings in both 12 and 20 gauge.



PHEASANT LOADS.

For the broadest selection in game-specific upland lead shotshells, Remington® Pheasant Loads are the perfect choice. Their high velocity and long-range performance are just right for any pheasant hunting situation. Standard high-base payloads include 12, 16, and 20 gauge.




EXPRESS® EXTRA LONG RANGE LOADS.

Time-proven performance for all upland game. The choice of experienced small game hunters across the country because our Express line offers the best balance of payload and performance. Available in a broad selection of loadings – from 12 gauge to 410 bore – with shot sizes ranging from BB all the way down to 9.



LEAD GAME LOADS.

Budget-stretching shotshells for a wide variety of hunting. Available in 410 bore, 20-, 16- and 12-gauge loadings.



SPORT LOADS.

Economical, multi-purpose loads. Built with our premium Power Piston® wad and plastic Unibody hulls. Loaded with No. 8 shot. Ideal for skeet, trap and sporting clays, as well as quail, doves and woodcock.

STEEL GAME AND TARGET LOADS.

Specifically designed for upland birds and clay target shooting where mandated. One ounce of steel No. 7 has nearly the same pellet count as 1 1/8 oz. of lead No. 8. Perfect combination of velocity and pattern density at normal distances.



Index/ EDI No.	Gauge/ Bore	Length (in.)	Velocity (ft./sec. @ 3 ft.)	Ounces of Shot	Shot Sizes
NITRO PHEASANT® LOADS – COPPER-PLATED					
NP12	12	2 1/4	1400	1 1/4	4, 5, 6
NP12M	12	2 1/4	1300	1 1/8	4, 5, 6
NP12HV	12	2 1/4	1450	1 1/8	4, 5, 6
NP12HM	12	3	1350	1 1/8	4, 5
NP20	20	2 1/4	1300	1	5, 6
NP20M	20	3	1185	1 1/4	5, 6
EXPRESS® EXTRA LONG RANGE LOADS					
SP12	12	2 1/4	1330	1 1/4	BB, 2, 4, 5, 6, 7 1/2, 9
SP16	16	2 1/4	1295	1 1/8	4, 6, 7 1/2
SP20	20	2 1/4	1220	1	4, 5, 6, 7 1/2, 9
SP28	28	2 1/4	1295	3/4	6, 7 1/2
SP410	.410	2 1/2	1250	1/2	4, 6, 7 1/2
SP413	.410	3	1135	1 1/8	4, 6, 7 1/2
PHEASANT LOADS					
PL12	12	2 1/4	1330	1 1/4	4, 5, 6, 7 1/2
PL16	16	2 1/4	1295	1 1/8	6
PL20	20	2 1/4	1220	1	4, 5, 6, 7 1/2
PROMOTIONAL GAME LOADS					
GL12	12	2 1/4	1290	1	6, 7 1/2, 8
GL16	16	2 1/4	1200	1	6, 7 1/2, 8
GL20	20	2 1/4	1225	3/4	6, 7 1/2, 8
GL410*	.410	2 1/2	1200	1/2	6
SPORT LOADS					
R12SL	12	2 1/4	1290	1	8
R20SL	20	2 1/4	1200	3/4	8
STEEL GAME AND TARGET LOADS					
GLSTL12	12	2 1/4	1325	1	7
GLSTL20	20	2 1/4	1325	3/4	7

*20-round box

TARGET LOADS

PREMIER® NITRO 27® HANDICAP TRAP LOADS.

Designed for long-yardage trapshooting and long-range sporting clays, our custom powder blend, Power Piston® wad and Premier® STS® primer mix have improved the Nitro 27's performance allowing more consistent velocities, 15% better pattern performance and softer recoil. So if you're looking for tremendous target-breaking performance, choose the improved Nitro 27.



PREMIER® STS® TARGET.

The standard in target shooting reliability. Absolutely consistent from shot to shot. Bar none, the most reliable, most reloadable shells you can shoot. Available in 12, 20, 28 gauge and 410 bore.



GUN CLUB® TARGET LOAD LINE.

An excellent choice for economical shooting. These high-quality shells are loaded with the same care as our top-of-the-line STS® loads and feature a Power Piston® wad and the reliable STS® Primer mix. Many shooters are discovering that they can get acceptable reloading life while stretching their shooting dollar.



MANAGED-RECOIL® STS® TARGET. Dramatically reduced recoil – 40% less in the 12-ga. load – with target-grinding STS® consistency and pattern density. Ideal for new shooters and recoil-sensitive individuals.



*"The choice is yours.
STS®/Nitro 27®.
Make the right one.
I did."*

GRAND DOMINATION

HARLAN CAMPBELL, JR.
5-Time Men's Trap
All-American
Team Captain

COMPETITORS AT THE GRAND CHOOSE REMINGTON® AS THEIR WINNING AMMUNITION.

Great champions think alike. For the seventh year in a row, shooters who used Remington shells won more trophies than competitors using other brands at the 2009 ATA Grand American World Trapshooting Championship. And for good reason! Remington STS® and Nitro 27® target loads provide softer recoil, better pattern performance, and more consistent velocities (not to mention the most reloadable hull on the market). Isn't it time you switch to Remington and step into the winner's circle?



Index/ EDI No.	Gauge/ Bore	Load Type	Length (in.)	Powder Dr. Eq.	Velocity (ft./sec. @ 3 ft.)	Ounces of Shot	Shot Sizes
PREMIER® STS® TARGET LOADS – EXTRA HARD STS® TARGET SHOT							
STS121	12	Premier STS Target	2 3/4	2 1/2	1185	1	7 1/2, 8, 8 1/2
STS12LR	12	Premier STS Low Recoil	2 3/4	2 1/2	1100	1 1/2	8
STS12L	12	Premier STS Light Target	2 3/4	2 1/2	1145	1 1/2	7 1/2, 8, 8 1/2, 9
STS12LH	12	Premier STS Light Handicap	2 3/4	3	1200	1 1/2	7 1/2, 8
STS12NH1	12	Premier Nitro 27 Handicap	2 3/4	HNDCP	1290	1	7 1/2, 8
STS12NH	12	Premier Nitro 27 Handicap	2 3/4	HNDCP	1235	1 1/2	7 1/2, 8
STS12NSC	12	Premier STS Nitro Sporting Clays	2 3/4	Max	1300	1 1/2	7 1/2, 8
STS12NSC1	12	Premier STS Nitro Sporting Clays	2 3/4	Max	1350	1	7 1/2, 8
STS12P	12	Premier STS Pigeon	2 3/4	3 1/4	1235	1 1/2	7 1/2, 8
STS20LR	20	Premier STS Low Recoil	2 3/4	2 1/2	1135	1/2	9
STS20SC	20	Premier STS Target	2 3/4	2 1/2	1200	1/2	8
STS20	20	Premier STS Target	2 3/4	2 1/2	1200	1/2	9
STS28NSC	28	Premier STS Nitro Sporting Clays	2 3/4	2 1/2	1300	1/2	7 1/2
STS28SC	28	Premier STS Target	2 3/4	2	1200	1/2	8
STS28	28	Premier STS Target	2 3/4	2	1200	1/2	9
STS410NSC	410	Premier STS Nitro Sporting Clays	2 3/4	Max	1300	1/2	8
STS410SC	410	Premier STS Target	2 3/4	Max	1200	1/2	8 1/2
STS410	410	Premier STS Target	2 3/4	Max	1200	1/2	9
MANAGED-RECOIL® STS® TARGET LOADS							
RLSTS12	12	Managed-Recoil STS Target	2 3/4	—	1100	1/2	8 1/2
RLSTS20	20	Managed-Recoil STS Target	2 3/4	—	1100	1/2	8 1/2
GUN CLUB® TARGET LOADS							
GC121	12	Gun Club	2 3/4	2 1/2	1185	1	7 1/2, 8
GC12L	12	Gun Club	2 3/4	2 1/2	1145	1 1/2	7 1/2, 8, 9
GC12	12	Gun Club	2 3/4	3	1200	1 1/2	7 1/2, 8
GC20	20	Gun Club	2 3/4	2 1/2	1200	1/2	7 1/2, 8, 9