



ALPEN[®]
OPTICS

CATALOGUE
ALPEN OPTICS

DISCOVER THE DIFFERENCE

— PREMIUM OPTICS BY HUNTERS FOR HUNTERS

Experience nature up close, never miss a detail and never cease to amaze - hunters and outdoor enthusiasts have been right on target with ALPEN OPTICS products for many years. The innovative technologies and appealing designs make looking through the high-performance optics an absolute pleasure - and at an attractive price. Whether you are a professional or amateur adventurer, everyone should have the opportunity to get a razor-sharp picture of the beauty of our natural world.

State-of-the-art technology, stylish design and super functionality - this is how the high-end products from ALPEN OPTICS impress hunting enthusiasts with the highest demands. As practice-oriented hunters and nature observers, we know: When stalking, night hunting and Co. you must be able to rely 100% on your equipment. So we make no compromises when it comes to the quality of your equipment: The latest technologies and top-class materials mean you never lose sight of the essentials. This allows you to experience the fascination of the wilderness up close, even in harsh environmental conditions, wind and weather.



The perfect binoculars for twilight hunting or your favorite rifle scope for stalking - we all have hunting aids that have been with us for a long time. We associate them with many beautiful and exciting moments with fascinating wild animals and breathtaking landscapes. Doing without them is out of the question. So that you don't have to with ALPEN

OPTICS optics, we offer a deluxe guarantee with no end date for special products. No matter how excellent a look is, mishaps happen and unforeseen circumstances often occur more quickly than expected. But with ALPEN OPTICS products including deluxe warranty, you are always on the safe side - and can rely on a quick repair or replacement in the event of a warranty claim.

— CONTENTS

BINOCULARS 5

Overview Binoculars.....	6
APEX STEADY HD 14x42, 20x42	8
APEX STEADY HD 16x30.....	10
CHISOS LRF 10x42.....	11
APEX XP LRF 8x32, 8x42, 10x42	12
APEX XP LRF 7x24	14
BLACK TUSK 8x42 ED, 10x42 ED	15
TETON 8x42 ED, 10x42 ED.....	16
APEX XP 8x42 ED, 10x42 ED, 8x56 ED..	17
CHISOS ED 8x25, 10x25	18
CHISOS 8x42, 10x42.....	19
CHISOS ED 6.5x32, 8x32	20
CRESTONE XP 7x24.....	21

SPOTTING SCOPES 22

WINGS 20-60x80 - Straight, 45°	24
APEX 20 - 60x80 45°	25

RIFLESCOPES 27

SmartDot Technology.....	28
Fluodigits Technology	29
Overview Shooting	30
ARGUS LT RED DOT	
1x20x18, 1x22x17 ,1x26x23.....	32
NEVADA LT PRISM 3x24.....	34
Free bonus 7APEX XP optical sight.....	35
APEX XP 1-6x24	36
APEX XP 2.5-16x42	37
APEX XP 1.5-9x45	38
APEX XP 2.5-15x50	39
APEX XP 5-25x50.....	40
APEX XP 2.5-15x56	41
APEX XP 5-30x56	42
APEX LT 1-6x24	43
APEX LT 2-12x44 Gen 2.....	44
APEX LT 2.5-15x56 Gen 2.....	45
Differences APEX XP and LTs.....	46





ALPEN[®]
OPTICS

— BINOCULARS

Whether you're stalking, hunting in the mountains or sitting in a high seat - with the right hunting binoculars, you can always focus on the essentials. And because this optical device is one of the most important pieces of equipment for hunters, one thing counts above all else when choosing new binoculars: Quality. Because only excellent hunting binoculars will be our reliable companions in the woods and meadows for decades. That is why we make no compromises in the development and manufacture of our hunting optics.

Find out here why all ALPEN OPTICS hunting binoculars produce such an outstanding image and how to find the right model for your hunting equipment.

— OVERVIEW
BINOCULARS



NIGHT



HIDE



STALKING



DRIVEN



LONG RANGE



MOUNTAIN



APEX STEADY
14x42, 20x42



APEX STEADY HD
16x30



CHISOS LRF
10x42



APEX XP LRF
8x32



APEX XP LRF
8x42, 10x42



APEX XP LRF 7x24



BLACK TUSK
8x42, 10x42





NIGHT



HIDE



STALKING



DRIVEN



LONG RANGE



MOUNTAIN



TETON
8x42, 10x42



APEX XP
8x42, 10x42



CHISOS ED
8x25, 10x25



CHISOS ED
8x42, 10x42



CHISOS ED
6.5x32, 8x32



CRESTONE XP 7x24



— STEADY HD 14x42, 20x42

An absolutely stable field of view up to 20x magnification - the ALPEN OPTICS Apex Steady HD binoculars with image stabilization are impressive. For your blur-free observations at impressive magnification, the high-quality binoculars are equipped with an optical prism compensation with 2-axis gimbal. Thanks to the high-definition quality optics with a large lens diameter, images appear bright and rich in detail even in poor lighting conditions. Perfect for twilight and mountain hunting.



HIDE




LONG RANGE



MOUNTAIN



	STEADY HD 14x42	STEADY HD 20x42
Magnification	14x	20x
Lens Ø	42 mm	42 mm
Field of vision (1,000 m)	70 m	58 m
Remuneration	PXA + UBX + LPE ●	PXA + UBX + LPE ●
Close-up from	4 m	4 m
Dimensions (L x W x H)	185 x 114 x 75 mm	185 x 114 x 75 mm
Weight	644 g	644 g



With image stabilization



— BAK4 Roof Prism



— Fogproof

PXA™

— PXA Phase Coating

SHR™

— Metallic Coating



— Fully Multi-Coated Lenses

HD GLASS

— High Definition Glass



— TwistUp



— Splashguard



ALPEN
OPTICS



You can find more information
about our binoculars
on our website:
www.alpenoptics.co.uk/binoculars/

DISCOVER THE DIFFERENCE



HIDE



LONG RANGE



MOUNTAIN



— BAK4 Roof Prism



— Fully Multi-Coated Lenses



— Splashguard



— OilPhobic



— TwistUp

PXA™

— PXA Phase Coating


— APEX STEADY HD 16x30

The Apex Steady HD 16x30 binoculars offer a stable 16x magnification with image stabilization. Thanks to the 2-axis gimbal technology and optical prism compensation, blur-free observations are possible. The HD optics and 30 mm lens diameter guarantee bright and detailed images.



APEX STEADY HD 16x30

Magnification	16x
Lens Ø	30 mm
Field of vision (1,000 m)	70 m
Remuneration	PXA + UBX + LPE ●
Close-up from	3,5 m
Dimensions (L x W x H)	152 x 120 x 63 mm
Weight	580 g



With image stabilization

— CHISOS LRF 10x42

The Chisos LRF 10x42 binoculars offer high-quality optics and precise distance measurement up to 2,743 meters. With excellent prisms and multicoating, it delivers true-color, bright images. The red illuminated, dimmable digits ensure that the distance is easy to read.



CHISOS LRF 10x42

Magnification	10x
Lens Ø	42 mm
Field of vision (1,000 m)	112 m
Distance Distance measurement	up to 2,743 m
Remuneration	MC ●
Close-up from	5 m
Dimensions (L x W x H)	165 x 130 x 63 mm
Weight	890 g



HIDE



STALKING



DRIVEN



— BAK4 Roof Prism



— Multi-Coated Lenses

AI

— Aluminum Housing

33.0

— OLED Red Display



— TwistUp



— Waterproof



APEX XP LRF 8x32, 8x42, 10x42 WITH RANGEFINDER

The compact APEX XP LRF binoculars impress with excellent optics, precise rangefinding up to 2,742 meters and convenient handling. The high-performance prisms with multi-coating guarantee true-color, high-resolution and bright images. The 42 binoculars also feature high-quality ED glass. The distance is very easy to read thanks to the red illuminated, dimmable digits. An ideal series of binoculars for precisely targeting game for the right shot.



	APEX XP 8x32 LRF	APEX XP 8x42 LRF	APEX XP 10x42 LRF
Magnification	8x	8x	10x
Lens Ø	32 mm	42 mm	42 mm
Field of vision (1,000 m)	122 m	140 m	110 m
Remuneration	MC ●	UBX + FMC ●	UBX + FMC ●
Distance Distance measurement	up to 2,742 m	up to 2,286 m	up to 2,286 m
Close-up from	6 m	6 m	6 m
Dimensions (L x W x H)	139 x 133 x 60 mm	147 x 132 x 70 mm	147 x 132 x 70 mm
Weight	750 g	926 g	926 g



— Fully Multi-Coated Lenses

UBX™

— UBX Multi-Coating



— Diopter Adjustment



— BAK4 Roof Prism

ED
GLASS

— Extra-Low Dispersion Glass
8x42, 10x42



— TwistUp

N₂

— Nitrogen Purged



— Waterproof



ALPEN
OPTICS



You can find more information
about our binoculars
on our website:
www.alpenoptics.co.uk/binoculars/

DISCOVER THE DIFFERENCE



STALKING



DRIVEN



Multi-Coated Lenses



Fogproof



Splashguard



Nitrogen Purged



Diopter Adjustment



TwistUp

APEX XP LRF 7x24 WITH RANGEFINDER

These compact ALPEN OPTICS 7x24 binoculars with rangefinder and sturdy PPS housing impress with excellent optics, precise rangefinding and convenient handling.



APEX XP 7x24 LRF

Magnification	7x
Lens Ø	24 mm
Field of vision (1,000 m)	115 m
Remuneration	MC ●
Distance Distance measurement	up to 1,828 m
Close-up from	6 m
Dimensions (L x W x H)	105 x 113 x 40 mm
Weight	422 g

— BLACK TUSK 8x42 ED, 10x42 ED

Probably the best binoculars that ALPEN OPTICS has ever brought onto the market: The Black Tusk impresses with its breathtaking optical performance and the interplay of high light transmission and a true-color image.



HIDE



STALKING



DRIVEN



— BAK4 Roof Prism



— Extra-Low Dispersion Glass

PBT™

— PTB-Fully Multi-Coating

SHR™

— Metallic Coating

N₂

— Nitrogen Purged



— Waterproof

BLACK TUSK 8X42 ED

BLACK TUSK 10X42 ED

Magnification	8x	10x
Lens Ø	42 mm	42 mm
Field of vision (1,000 m)	142 m	113 m
Remuneration	PBT + PXA + SHR ●	PBT + PXA + SHR ●
Light transmission	up to 94 %	up to 92 %
Close-up from	1,5 m	2 m
Dimensions (L x W x H)	150 x 129 x 56 mm	150 x 129 x 56 mm
Weight	799 g	799 g





HIDE



STALKING



DRIVEN



— ABBE Roof Prism



— Extra-Low Dispersion Glass



— PXA Phase Coating



— Metallic Coating



— Nitrogen Purged



— Waterproof

— TETON 8x42 ED, 10x42 ED

The Teton Abbe binoculars offer incredible optical performance in a lightweight yet robust housing. Thanks to the high-quality ED and Abbe prism optics, you can see your object brightly, clearly and with impressive color fidelity.



TETON 8X42 ED

TETON 10X42 ED

Magnification	8x	10x
Lens Ø	42 mm	42 mm
Field of vision (1,000 m)	130 m	113 m
Remuneration	PXA + UBX + SHR ●	PXA + UBX + SHR ●
Light transmission	up to 94 %	up to 95 %
Close-up from	3 m	1,5 m
Dimensions (L x W x H)	171 x 133 x 52 mm	165 x 133 x 52 mm
Weight	847 g	821 g

— APEX XP 8x42 ED, 10x42 ED, 8x56 ED

The Apex XP binoculars offer vivid images and a high level of detail in low light conditions. HD and ED lenses guarantee true color vision, while the coatings improve light transmission and ensure clear contrasts.



APEX XP 8x42 ED

APEX XP 10x42 ED

Magnification	8x	10x
Lens Ø	42 mm	42 mm
Field of vision (1,000 m)	142 m	113 m
Remuneration	PXA + FMC + HR ●	PXA + FMC + HR ●
Light transmission	up to 91 %	up to 92 %
Close-up from	2,5 m	2,5 m
Dimensions (L x W x H)	138 x 132 x 50 mm	138 x 132 x 50 mm
Weight	703 g	703 g



HIDE



STALKING



DRIVEN



— BAK4 Roof Prism



— Extra-Low Dispersion Glass



— Metallic Coating



— Nitrogen Purged



— TwistUp



— Waterproof





STALKING



DRIVEN

— Extra-Low Dispersion Glass



— BAK4 Roof Prism



— Fully Multi-Coated Lenses



— Lightweight



— TwistUp



— Waterproof

— CHISOS ED 8x25, 10x25

The Chisos series impresses with brilliant and clear images full of detail. Precisely manufactured prisms, refined glass and modern coating technologies maximize the light yield and ensure true-to-life color reproduction and razor-sharp contrasts.



	CHISOS 8x25	CHISOS 10x25
Magnification	8x	10x
Lens Ø	25 mm	25 mm
Field of vision (1,000 m)	110 m	114 m
Remuneration	FMC ●	FMC ●
Close-up from	5 m	5 m
Dimensions (L x W x H)	106 x 47 x 101 mm	106 x 47 x 101 mm
Weight	268 g	265 g

— CHISOS 8x42, 10x42

Chisos binoculars give you crystal-clear vision in any situation. With high-quality optics, PXA phase coating and multi-coated lenses, they are a reliable companion for hunting, bird watching and all outdoor experiences – in any weather.



— BAK4 Roof Prism



— Extra-Low Dispersion Glass



— Fully Multi-Coated Lenses



— PXA Phase Coating



— Magnesium Housing



— Waterproof



	CHISOS 8x42	CHISOS 10x42
Magnification	8x	10x
Lens Ø	42 mm	42 mm
Field of vision (1,000 m)	123 m	102 m
Remuneration	PXA + MC ●	PXA + MC ●
Close-up from	2 m	2 m
Dimensions (L x W x H)	148 x 132 x 55 mm	148 x 132 x 55 mm
Weight	620 g	610 g



HIDE



STALKING



DRIVEN



MOUNTAIN

ED
GLASS

- Extra-Low Dispersion Glass



- Fully Multi-Coated Lenses

Mg

- Magnesium Housing

N₂

- Nitrogen Purged



- TwistUp



- Waterproof

— CHISOS ED 6.5x32, 8x32

The binoculars in the Chisos series deliver impressively detailed and vivid images. High-quality prisms, ED glass and special coatings optimize light transmission and ensure natural colors and sharp contrasts.



	CHISOS 6.5x32	CHISOS 8x32
Magnification	6.5x	8x
Lens Ø	32 mm	32 mm
Field of vision (1,000 m)	144 m	131 m
Remuneration	FMC ●	FMC ●
Close-up from	2 m	2 m
Dimensions (L x W x H)	125 x 132 x 50 mm	125 x 132 x 50 mm
Weight	486 g	486 g

— CRESTONE XP 7x24

Perfect for quick distance measurement when stalking, driven hunts and the like: The ALPEN OPTICS Crestone XP 7x24 rangefinder with multi-coated lenses, diopter compensation and OLED display fits perfectly in the hand thanks to its compact dimensions.



CRESTONE XP 7x24

Magnification	7x
Lens diameter	24 mm
Field of vision (1,000 m)	115 m
Remuneration	MC ●
Diopter focus	-3,0 - +3,0
Distance Distance measurement up to 1,828 m	±1 m < 100 m, ±2m < 100-1,000 m, ±3m > 1,000 m
Dimensions (L x W x H)	106 x 38 x 76 mm
Weight	188 g



HIDE



STALKING



DRIVEN



LONG RANGE



MOUNTAIN



— Distance



— Multi-Coated Lenses



— Diopter Adjustment



— L.O.S & H.C.D Range Modes



— OLED Red Display



— Splashguard





ALPEN[®]
OPTICS

SPOTTING
SCOPES

- SPOTTING SCOPES

ALPEN OPTICS spotting scopes are the ideal choice for hunting or nature observation and offer unsurpassed clarity and detail. With high-precision lenses and excellent coatings, they guarantee outstanding light transmission even in twilight and therefore precise wildlife detection.

The robust and weatherproof design enables reliable use in a wide range of conditions, while the tripod connection thread guarantees wobble-free images.





ALPEN
OPTICS



HIDE




LONG RANGE



MOUNTAIN



BK7 Roof Prism



Fully Multi-Coated Lenses




PXA Phase Coating



UBX Multi-Coating



Nitrogen Purged



Waterproof

WINGS 20-60x80 - Straight, 45°

The Wings 20-60x80 spotting scopes impress with an 80mm aperture and excellent, multi-coated optics that deliver brilliant, high-contrast images. The dual focus system enables simple coarse and fine adjustments for outstanding views.



	WINGS 20-60x80, straight	WINGS 20-60x80, 45°
Magnification	20x - 60x	20x - 60x
Lens Ø	80 mm	80 mm
Field of vision (1,000 m)	35,5 m	36 m
Remuneration	UBX ●	UBX ●
Focusing drive	System with 10:1 reduction ratio	System with 10:1 reduction ratio
Close-up from	8 m	5,5 m
Dimensions (L x W x H)	365 x 95 x 122 mm	390 x 95 x 180 mm
Weight	1.430 g	1.430 g

— APEX 20 – 60x80 45°

The Apex 20-60x80 spotting scope offers brilliant, high-contrast images with its 80 mm aperture and excellent, multi-coated optics. The dual focus system allows for easy coarse and fine adjustment for outstanding observations and razor-sharp views.



APEX 20-60x80, 45°

Magnification	20x - 60x
Lens Ø	80 mm
Field of vision (1,000 m)	35,5 m
Remuneration	UBX ●
Focusing drive	System with 10:1 reduction ratio
Close-up from	8 m
Dimensions (L x W x H)	381 x 97 x 179 mm
Weight	1.660 g



HIDE



LONG RANGE



MOUNTAIN



— BAK4 Roof Prism



— Fully Multi-Coated Lenses

PXA™

— PXA Phase Coating

UBX™

— UBX Multi-Coating

N₂

— Nitrogen Purged



— Waterproof







— RIFLESCOPES

A clean shot and an accurate shot - this is only possible if the game can be seen clearly. In the demanding world of hunting, precise aiming is essential, as the naked eye can often fail in many situations. First-class lens material ensures outstanding light transmission and image quality, while the excellent coating minimizes reflections and optimizes vision in different lighting conditions - a decisive contribution to hunting success.

As a premium brand for hunting optics, ALPEN OPTICS makes no compromises in the manufacture of its riflescopes.




RIFLESCOPES

— SMARTDOT TECHNOLOGY


■ MADE IN GERMANY

Probably the smartest way to use a light point! With SmartDot technology, control is completely automatic via state-of-the-art circuit boards in the device - and only based on the tilt of the gun. The light point switches off automatically and remains in sleep mode when you put it down. When you take aim again, the device is fully operational within a few milliseconds, saving you valuable time and allowing you to concentrate on the essentials - the hunt and the game! For maximum energy savings, the device automatically shuts down completely after approx. three hours in sleep mode. Activating the SmartDot technology is also very simple: You simply adjust the light point to the desired brightness with a short turn of the control.



— FLUODIGITS TECHNOLOGY BY ALPEN OPTICS

Seeing, but not being seen - that is an essential prerequisite for hunting. This is where the new patented FluoDigits technology is a real asset when hunting at night or at dusk in a dark high seat. This is because in the dark it is normally difficult or even impossible to see the magnification setting of a riflescope. This is why the FluoDigits magnification numbers from ALPEN OPTICS have a special coating that allows the digits to glow for up to 4 hours. You can read them clearly from a very short distance. However, the light is no longer perceptible from a distance of 1.5 m. This means you always have all the information about the magnification you are currently using at your fingertips, but remain undetected. During the day, however, the digits can be recognized as normal.



— OVERVIEW
SHOOTING



NIGHT



HIDE



STALKING



DRIVEN



LONG RANGE



MOUNTAIN



ARGUS LT RED DOT 1x20x18



ARGUS RED DOT 1x22x17



ARGUS LT RED DOT 1x26x23



NEVADA PRISM 3x24



APEX XP 1-6x24



APEX XP 2.5-16x42



APEX XP 1.5-9x45





NIGHT



HIDE



STALKING



DRIVEN



LONG RANGE



MOUNTAIN



APEX XP 2.5-15x50



APEX XP 5-25x50



APEX XP 2.5-15x56



APEX XP 5-30x56



APEX LT 1-6x24



APEX LT 2-12x44
Gen 2



APEX LT 2.5-15x56
Gen 2



— ARGUS LT RED DOT 1x20x18, 1x22x17 ,1x26x23

The Argus LT Red Dots offer precise target acquisition in harsh environments. With a robust 6061 CNC aluminum housing, it is suitable for short and long guns and can be easily mounted on RMR, ACRO or Picatinny mounts. The large 26x23 mm lens ensures an optimum overview, while three illuminated dot reticles (3 MOA dot, circle or circle-dot) and a battery life of up to 50,000 hours are impressive. The reticle can be adjusted in 0.3 MRAD clicks. The Red Dots are also waterproof and bulletproof.



	ARGUS LT RED DOT 1x20x18	ARGUS RED DOT 1x22x17	ARGUS LT RED DOT 1x26x23
Magnification	1x	1x	1x
Lens Ø	20x18 mm	22x17 mm	26x23 mm
Assembly footprint	ACRO	RMSc	RMR
Remuneration	MC	MC	MC
Reticle adjustment/ per click / 100 m	MRAD 0,3	MRAD 0,3	MRAD 0,3
Shot-proof up to	1.000G	1.000G	1.000G
Light point	Suitable for day & night hunting, 10 levels	Suitable for day & night hunting, 10 levels	Suitable for day & night hunting, 10 levels
Dimensions (L x W x H)	46 x 36 x 34 mm	41 x 30 x 25,5 mm	49 x 34 x 42 mm
Weight	110 g	26 g	70 g



Shockproof
up to 1000 G



Multi-Coated Lenses



DynamicDot-
Technology



Aluminum Housing




Lightweight



Waterproof



Reddot 3 MOA



Circle 32 MOA



Circle point 32 MOA



Further information about
our Riflescopes can be found on our
website:
www.alpenoptics.co.uk/riflescopes/



DISCOVER THE DIFFERENCE



STALKING




DRIVEN

Available with two different reticles.



Reddot reticle



Ballistic reticle



DynamicDot-Technology



Shockproof up to 1000 G



Multi-Coated Lenses



Aluminum Housing



Fogproof



Waterproof

NEVADA LT PRISM 3x24

The ALPEN OPTICS Nevada LT Prism 3x24 with red dot is the ideal prism optic. It scores with 3x magnification, an objective lens diameter of 24 mm and a large field of view of 128 m at 1,000 m.



NEVADA LT PRISM 3X24

Magnification	3x
Lens Ø	24 mm
Field of view m / 100 m	128 m
Remuneration	MC
Reticle adjustment/ per click / 100 m	MRAD 0.1
Close-up from	2,5 m
Inert gas-filled	Yes
Dimensions (L x W x H)	92 x 49 x 70 mm
Weight	288 g

— OUR FREE BONUS WITH EVERY APEX XP OPTICAL SIGHT

With our Apex XP riflescopes, you not only get outstanding performance, but also an accessory package with **1** protective cover, **2** quick adjustment lever, **3** protective caps and **4** mounts.




Not included with the APEX XP 5-30x56 Mil Dot / BDC rifle scope.





DRIVEN



Duplex reticle



— Second Focal Plane

>95%

— Light Transmission



— SmartDot-Technology



— FluoDigits-Technology

— UBX Multi-Coating



— Waterproof

— APEX XP 1-6x24

The Apex XP 1-6x24 is a driven hunt riflescope with a 30 mm center tube diameter. It offers a duplex illuminated reticle suitable for daylight and a field of view of around 38 m at 100 m. The reticle is located in the 2. image plane and does not enlarge with it.



APEX XP 1-6x24

Magnification	1-6x
Lens Ø	24 mm
Field of view m / 100 m	min. 6 - max. 38,5
Remuneration	UBX
Reticle adjustment/ per click / 100 m	MRAD 0.1
Close-up from	1 m
Inert gas-filled	Yes
Dimensions (L x W x H)	262 x 69 x 58 mm
Weight	534 g

APEX XP 2.5-16x42

The Apex XP 2.5-16x42 is a versatile riflescope for day and twilight hunting. With a 30 mm center tube diameter and an illuminated dot reticle in the 2nd reticle. image plane, the reticle is not magnified.



APEX XP 2.5-16x42

Magnification	2.5-16x
Lens Ø	42 mm
Field of view m / 100 m	min. 2.25 - max. 14,1
Remuneration	UBX
Reticle adjustment/ per click / 100 m	MRAD 0.1
Close-up from	10 m
Inert gas-filled	Yes
Dimensions (L x W x H)	345 x 79 x 61 mm
Weight	615 g




HIDE



STALKING



MOUNTAIN



A4 reticle



BDC reticle



Side Parallax Adjustment

> 93 %

Light Transmission



SmartDot-Technology



FluoDigits-Technology



Fully Multi-Coated Lenses



Waterproof





HIDE




STALKING



DRIVEN



A4 reticle



Duplex reticle



Second Focal Plane

30^{MM}

Tube Diameter



SmartDot-Technology



FluoDigits-Technology

> 94%

Light Transmission



Waterproof

APEX XP 1.5-9x45

The Apex XP 1.5-9x45 is an impressive universal riflescope with a 30 mm central tube diameter, especially for day and twilight hunting. The illuminated dot reticle is located in the 2nd reticle. image plane and does not enlarge with it.



APEX XP 1.5-9x45

Magnification	1.5-9x
Lens Ø	45 mm
Field of view m / 100 m	min. 4 - max. 24
Remuneration	UBX
Reticle adjustment/ per click / 100 m	MRAD 0.1
Close-up from	1 m
Inert gas-filled	Yes
Dimensions (L x W x H)	324 x 70 x 57 mm
Weight	599 g

APEX XP 2.5-15x50

The Apex XP 2.5-15x50 impresses as a versatile hunting and sports riflescope with a 30 mm central tube diameter. It has an illuminated dot reticle in the 2nd reticle. Image plane that is not enlarged.



APEX XP 2.5-15x50


Magnification	2.5-15x
Lens Ø	50 mm
Field of view m / 100 m	min. 2.8 - max. 16,3
Remuneration	UBX
Reticle adjustment/ per click / 100 m	MRAD 0.1
Close-up from	10 m
Inert gas-filled	Yes
Dimensions (L x W x H)	369 x 77 x 65 mm
Weight	780 g



NIGHT



HIDE



A4 reticle



Second Focal Plane

30^{MM}

Tube Diameter



SmartDot-Technology



FluoDigits-Technology

>93%

Light Transmission



Waterproof





HIDE




LONG RANGE



MOUNTAIN



BDC reticle



MilDot reticle



Second Focal Plane

30^{MM}

Tube Diameter



SmartDot-Technology



FluoDigits-Technology

> 94%

Light Transmission



Waterproof

APEX XP 5-25x50

The Apex XP 5-25x50 rifle scope has been specially developed for medium and long ranges. It has a center tube diameter of 30 mm and an illuminated dot reticle in the second image plane that does not magnify. It is bulletproof and weatherproof.



APEX XP 5-25x50

Magnification	5-25x
Lens Ø	50 mm
Field of view m / 100 m	min. 1.65 - max. 8
Remuneration	UBX
Reticle adjustment/ per click / 100 m	MRAD 0.1
Close-up from	10 m
Inert gas-filled	Yes
Dimensions (L x W x H)	358 x 78 x 56 mm
Weight	726 g

APEX XP 2.5-15x56

The Apex XP 2.5-15x56 is the ideal twilight hunting riflescope. It scores with a high magnification (15x) and a large lens diameter of 56 mm. The center tube diameter is 30 mm. The optical sight has a red dot reticle 4 in the 2nd reticle. Image plane that does not enlarge.



APEX XP 2.5-15x56


Magnification	2.5-15x
Lens Ø	56 mm
Field of view m / 100 m	min. 2.8 - max. 16,3
Remuneration	UBX
Reticle adjustment/ per click / 100 m	MRAD 0.1
Close-up from	10 m
Inert gas-filled	Yes
Dimensions (L x W x H)	372 x 77 x 65 mm
Weight	820 g



NIGHT



HIDE



A4 reticle



Second Focal Plane

30^{MM}

Tube Diameter



SmartDot-Technology



FluoDigits-Technology


>93%

Light Transmission



Waterproof





BDC reticle, 5-30x



MilDot reticle, 5-30x



First Focal Plane



Side Parallax Adjustment



SmartDot-Technology



FluoDigits-Technology

34^{MM}

Tube Diameter



Waterproof

APEX XP 5-30x56

The Apex XP 5-30x56 riflescope with ED glass is designed for long distances and has a center tube diameter of 34 mm. It has an illuminated dot reticle, which is located in the 1st reticle. image plane. It therefore increases in size.



APEX XP 5-30x56

Magnification	5-30x
Lens Ø	56 mm
Field of view m / 100 m	min. 1.3 - max. 8
Remuneration	UBX
Reticle adjustment/ per click / 100 m	MRAD 0.1
Close-up from	15 m
Inert gas-filled	Yes
Dimensions (L x W x H)	319 x 89 x 86 mm
Weight	1.030 g

APEX LT 1-6x24

The Apex LT 1-6x24 is a typical driven hunt riflescope with a 30 mm center tube, daylight-compatible A4 illuminated reticle and a field of view of approx. 37 m at 100 m. The reticle in the 2. Image plane is not enlarged.




APEX LT 1-6x24

Magnification	1-6x
Lens Ø	24 mm
Field of view m / 100 m	min. 5.9 - max. 37,1
Remuneration	UBX
Reticle adjustment/ per click / 100 m	MRAD 0.1
Close-up from	1 m
Inert gas-filled	Yes
Dimensions (L x W x H)	270 x 71 x 56 mm
Weight	504 g



DRIVEN



A4 reticle



Second Focal Plane

30^{MM}

Tube Diameter



SmartDot-Technology



Fogproof



Shockproof
up to 1000 G



Waterproof





HIDE



STALKING



DRIVEN



A4 reticle



Präzise Jagen
Screw-on system
instead of clamps



Second Focal Plane

30^{MM}

Tube Diameter



Fusion adapter
compatible



Ballistic turret
compatible



SmartDot-
Technology



Shockproof
up to 1000 G

APEX LT 2-12x44 Gen 2

The Apex LT 2-12x44 Gen 2 is a universal rifle scope for daytime and twilight hunting. It has a 30 mm centre tube diameter and a 4x illuminated dot reticle. The Gen 2 is also compatible with ballistic turrets and fusion adapters, offering even more flexibility when hunting.



APEX LT 2-12x44

Magnification	2-12x
Lens Ø	44 mm
Field of view m / 100 m	min. 3.1 - max. 18,4
Remuneration	FMC
Reticle adjustment/ per click / 100 m	MRAD 0.1
Close-up from	4 m
Inert gas-filled	Yes
Dimensions (L x W x H)	345 x 83 x 66 mm
Weight	812 g



NIGHT



HIDE

— APEX LT 2.5-15x56 Gen 2

The Apex LT 2.5-15x56 is the ideal twilight hunting riflescope with 15x magnification, 56 mm objective lens and 30 mm center tube. The high-quality optical sight has an illuminated dot reticle 4 in the 2nd reticle. Image plane that is not enlarged.



APEX LT 2.5-15x56

Magnification	2.5-15x
Lens Ø	56 mm
Field of view m / 100 m	min. 2.6 - max. 15,7
Remuneration	FMC
Reticle adjustment/ per click / 100 m	MRAD 0.1
Close-up from	4 m
Inert gas-filled	Yes
Dimensions (L x W x H)	354 x 83 x 80 mm
Weight	808 g



Quick adjustment
to different
shooting distances



A4 reticle



— Second Focal Plane

30^{MM}

— Tube Diameter



— SmartDot-
Technology



— Ballistic turret
compatible




— Shockproof
up to 1000 G



— Waterproof



DIFFERENCES BETWEEN THE APEX XP AND LT AIMING OPTICS






	APEX XP	APEX LT Gen 2
FluoDigit technology	✓	-
SmartDot	✓	✓
Zero Stop	✓	✓
Reticle	Fibre	Fibre
Light transmission	93 - 95 %	<90 %
Housing	Aluminium	Aluminium
Reticle adjustment	0,1 MRAD	0,1 MRAD
Waterproof according to IPX standard	3 m	1 m
Glass material HD	✓	-



Further information about our Riflescopes can be found on our website:

www.alpenoptics.co.uk/riflescopes/



DISCOVER THE DIFFERENCE

— CONTACT US

Alpen Optics GmbH

Gutenbergstraße 2
46414 Rhede · Germany

Head office: +49 (0) 2872 - 916 989 0
Service: +49 (0) 2872 - 916 989 1

info@alpenoptics.de
www.alpenoptics.de

  @AlpenOptics.Europe

Catalogue_A5_en_ALPEN_v012026a



You can find more information
about our products on our
website:
www.alpenoptics.co.uk

DISCOVER THE DIFFERENCE